Table of contents

About us 05
700 series 06
Gas cookers 06
Gas cookers with oven 08
Electric cookers 12
Electric cookers with oven 14
Induction/ceramic cookers 18
Cookers with hotplate 21
Gas fryers 22
Electric fryers 24
French fry warmers 26
Pasta and dumpling cookers 28
Bain-maries 28
Gas grill plates 30
Electric grill plates 32
Barbecue grills 34
Boiling pans 36
Tilting bratt pans 38
Neutral elements 40
Open bases 41
Cabinet bases 42
Doors 43
Drawers 43
Accessories 44
Compact 700 line 46
Gas cookers 48
Gas cookers with oven 50
Electric cookers 52
Induction cookers 55
Fryers 55
900 line 57
Gas cookers 59
Gas / electric cookers with oven 61
Electric cookers 62
Induction cookers 64
Fryers 65
Boiling pans 66
Tilting bratt pans 71
Open bases 73
Cabinet bases 73
Doors 73
Compact 900 line 75
Gas cookers 76
Convection ovens 78
Ovens 80
Accessories 80
Bases 81
Freestanding appliances 82
Combination oven 83
Electric boiling pans 84
Induction bratt pan 84
Tilting bratt pans 85
Stools 88
Heating bain-maries 90
Refrigerated bases 91
Fast Food line 93
Stainless steel roller grills 94
Teflon roller grills 96
Salamander 97
Hot plate 97
Contact grill 97
Sales department 99

All rights reserved, unauthorised use is prohibited. Product photos are for illustrative purposes only.
Products may differ slightly from those shown in the photos. All product prices are net prices.

65 years of experience

Kromet is a manufacturer of catering equipment and kitchen appliances of the highest quality!

Many years of activity, experience, new designs and manufacturing technologies ensure that we are gaining more and more customers. All products offered by the company are made of certified stainless steel, in accordance with the requirements of European Union directives, and have the CE and GOST marks, and for those devices - where necessary - also certificates from the Oil and Gas Institute, the Technical Inspection Authority and the State Food Institute. The high quality of our products is also ensured by the control system that has been in place in the company for many years. Our products have won numerous awards at national and international trade fairs.

Prestigious award:
European Medal 2015 for monoblock

VISION

We want to be a role model for others and create the latest trends in the industry.

Our vision is to introduce innovative, even more durable solutions, and to continuously improve and expand the range of products we offer.



MISSION

To provide all our customers with a wide range of products of the highest quality,

with improved performance and energy efficiency, as well as the ability to maintain high hygiene standards. We work to ensure the best cooking results

Kromet®

Line 700

700 SERIES
GAS COOKERS

'Antikap' system ensuring clean knobs.

Perfectly matched burner positions and power.

1.5 mm thick stainless steel top plate

Maximised burner efficiency and reduced energy loss.

Powerful double crown burners - 7.5 kW

Large ergonomic knobs with safety ring

Reduction plate for WOK pan grate

Accessories

- Smooth grill plate
- Grooved grill plate
- Wok attachment

000.NGG-1

000.NGR-1

700.WOK-1

700 SERIES
GAS COOKERS

700.KG-2

700.KG-2.T

700.KG-2.S

700.KG-2.S.D

2-burner gas boiling top on open base



Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-2	400x700x280	2	12 kW	€ 1 245
700.KG-2.T	400x700x900	2	12 kW	€ 1 620
700.KG-2.S	400x700x900	2	12 kW	€ 1 620
700.KG-2.S.D	400x700x900	2	12 kW	€ 1 735

700.KG-4

700.KG-4.T

700.KG-4.S

700.KG-4.S.D

4-burner gas boiling top on open base



Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-4	800x700x280	4	24 kW	€ 2 030
700.KG-4.T	800x700x900	4	24 kW	€ 2 455
700.KG-4.S	800x700x900	4	24 kW	€ 2 495
700.KG-4.S.D	800x700x900	4	24 kW	€ 2 725

700.KG-6

700.KG-6.T

700.KG-6.S

700.KG-6.S.D

6-burner gas boiling top on open base



Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-6	1200x700x280	6	36 kW	€ 2 820
700.KG-6.T	1200x700x900	6	36 kW	€ 3 295
700.KG-6.S	1200x700x900	6	36 kW	€ 3 295
700.KG-6.S.D	1200x700x900	6	36 kW	€ 3 555

700 SERIES
GAS COOKERS with OVEN

Thermally insulated doors ensure perfectly even baking

Accurate sensor inside the chamber

Cool-touch handle for comfortable use

Accessories

- Smooth grill plate
- Grooved grill plate
- Wok attachment



000.NGG-1

000.NGR-1

700.WOK-1

* at extra charge
**Can be changed to glass doors at extra charge.

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

LINE 700
GAS COOKERS with OVEN

700.KG-4/PE-1

Gas cooker with electric oven



Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-4/PE-1	800x700x900	4	24 kW	€ 4 040

Electric oven
Power: 3.5 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 250°C
Chamber dimensions: 575 x 450 x 316 mm
GN: GN 1/1

700.KG-4/PE-2

Gas cooker with electric oven



Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-4/PE-2	800x700x900	4	24 kW	€ 4 285

Electric oven
Power: 6.5 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 250°C
Chamber dimensions: 695 x 550 x 310 mm
GN: GN 2/1

700.KG-6/PE-2/SD

Gas cooker with electric oven on cabinet with doors



Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-6/PE-2/SD	1200x700x900	6	36 kW	€ 5 565

Electric oven
Power: 6.5 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 250°C
Chamber dimensions: 695 x 550 x 310 mm
GN: GN 2/1

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

700 LINE

GAS COOKERS with OVEN

700.KG-6/PE-3

Gas cooker with electric oven, module 3xGN 1/1



Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-6/PE-3	1200x700x900	6	36 kW	€ 6 285

Electric oven
Power: 8.4 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 250°C
Chamber dimensions: 1080 x 560 x 360 mm
GN: 3 x GN 1/1

700.KG-4/PE-1T

Gas cooker with electric oven with convection



Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-4/PE-1T	800x700x900	4	24 kW	€ 4 385

Electric oven
Power: 3.5 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 300°C
Fan: Yes
Chamber dimensions: 575 x 450 x 316 mm
GN: GN 1/1

700.KG-6/PE-1T/SD

Gas cooker with electric oven with convection



Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-6/PE-1T/SD	1200x700x900	6	36 kW	€ 5 670

Electric oven
Power: 3.5 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 300°C
Fan: Yes
Chamber dimensions: 575 x 450 x 316 mm
GN: GN 1/1

LINE 700
GAS COOKERS WITH OVEN

700.KG-4/PG-1

Gas cooker with gas oven



Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-4/PG-1	800x700x900	4	24 kW	€ 4 030

Gas oven
Power: 4.5 kW
Oven temperature range: 150° - 300°C
Chamber dimensions: 575 x 450 x 316 mm
GN: GN 1/1

700.KG-4/PG-2

Gas cooker with gas oven



Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-4/PG-2	800x700x900	4	24 kW	€ 4 385

Gas oven
Power: 5.5 kW
Oven temperature range: 150° - 300°C
Chamber dimensions: 695 x 550 x 310 mm
GN: GN 2/1

700.KG-6/PG-2/SD

Gas cooker with gas oven on cabinet with doors



Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-6/PG-2/SD	1200x700x900	6	36 kW	€ 5 670

Gas oven
Power: 5.5 kW
Oven temperature range: 150° - 300°C
Chamber dimensions: 695 x 550 x 310 mm
GN: GN 2/1

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

700 SERIES
ELECTRIC COOKERS

Top plate
divided into sectors for easy cleaning and to prevent liquids from spilling over the entire plate

Fast-heating plates,
220 mm in diameter,with
"Red point" burn-through protection

1.5 mm thick
stainless steel
top plate

Large ergonomic
knobs with safety ring

Adapted for seamless
connection with other
appliances.

Six-step power adjustment

Front profiling for clean knobs

Accessories

- Reduction cover

700.NES-2

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

700.KE-2

700.KE-2.T

700.KE-2.S

700.KE-2.S.D

Electric cooker, 2 round hotplates



Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
700.KE-2	400x700x280	2	5,2 kW	€ 975
700.KE-2.T	400x700x900	2	5,2 kW	€ 1 350
700.KE-2.S	400x700x900	2	5,2 kW	€ 1 350
700.KE-2.S.D	400x700x900	2	5,2 kW	€ 1 465

700.KE-4

700.KE-4.T

700.KE-4.S

700.KE-4.S.D

Electric cooker, 4 round hotplates



Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
700.KE-4	800x700x280	4	10,4 kW	€ 1 490
700.KE-4.T	800x700x900	4	10,4 kW	€ 1 915
700.KE-4.S	800x700x900	4	10,4 kW	€ 1 955
700.KE-4.S.D	800x700x900	4	10,4 kW	€ 2 185

700.KE-6

700.KG-6.T

700.KG-6.S

700.KG-6.S.D

Electric cooker, 6 round hotplates



Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
700.KE-6	1200x700x280	6	15,6 kW	€ 1 950
700.KE-6.T	1200x700x900	6	15,6 kW	€ 2 425
700.KE-6.S	1200x700x900	6	15,6 kW	€ 2 425
700.KE-6.S.D	1200x700x900	6	15,6 kW	€ 2 685

700 SERIES
ELECTRIC COOKERS WITH OVEN

Embossed top plate for easy cleaning

Fast-heating plates 220 mm diameter with "Red point" burnout protection

1.5 mm thick stainless steel top plate

Halogen lighting*
Independent chamber lighting switch

Temperature range 50-300°C

Large ergonomic knobs with safety ring

Thermally insulated door ensures perfectly even baking

Accurate sensor inside the chamber

Cool-touch handle for comfortable use

Accessories

- Reduction cover

700.NES-2

Glass doors available at extra charge.

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

700.KE-4/PE-1

Electric cooker with electric oven



Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
700.KE-4/PE-1	800x700x900	4	10,4 kW	€ 3 520

Electric oven
Power: 3.5 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 250°C
Chamber dimensions: 575 x 450 x 316 mm
GN: GN 1/1

700.KE-4/PE-2

Electric cooker with electric oven



Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
700.KE-4/PE-2	800x700x900	4	10,4 kW	€ 3 795

Electric oven
Power: 6.5 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 250°C
Chamber dimensions: 695 x 550 x 310 mm
GN: GN 2/1

700.KE-6/PE-2/SD

Electric cooker with electric oven on cabinet with door



Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
700.KE-6/PE-2/SD	1200x700x900	6	15,6 kW	€ 4 745

Electric oven
Power: 6.5 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 250°C
Chamber dimensions: 695 x 550 x 310 mm
GN: GN 2/1

700 SERIES
ELECTRIC HOBS WITH OVEN

700.KE-6/PE-1T/SD

Electric cooker with electric oven with convection



Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
700.KE-6/PE-1T/SD	1200x700x900	6	15,6 kW	€ 4 825

Electric oven
Power: 3.5 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 300°C
Chamber dimensions: 575 x 450 x 316 mm
GN: GN 1/1

700.KE-6/PE-3

Electric hob with electric oven, module 3xGN 1/1



Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
700.KE-6/PE-3	1200x700x900	6	15,6 kW	€ 5 745

Electric oven
Power: 8.4 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 250°C
Chamber dimensions: 1080 x 560 x 360 mm
GN: 3 x GN 1/1

700.KE-4C/PE-1

Electric ceramic hob with electric oven



Model	Dimensions (mm)	Heating zones	Power (kW)	Net price
700.KE-4C/PE-1	800x700x900	4	12,1 kW	€ 5 899

Electric oven
Power: 3.5 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 250°C
Chamber dimensions: 575 x 450 x 316 mm
GN: GN 1/1

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

700.KE-4C/PE-2

Electric ceramic cooker with electric oven



Model	Dimensions (mm)	Heating zones	Power (kW)	Net price
700.KE-4C/PE-2	800x700x900	4	12,1 kW	€ 6 155

Electric oven
Power: 6.5 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 250°C
Chamber dimensions: 695 x 550 x 310 mm
GN: GN 2/1

700.KE-4/PE-1T

Electric cooker with electric oven with convection heating



Model	Dimensions (mm)	Heating zones	Power (kW)	Net price
700.KE-4/PE-1.T	800x700x900	4	10,4 kW	€ 3 850

Electric oven
Power: 3.5 kW
Heating: top, bottom, top/bottom
Fan: Yes
Temperature range: 50° - 300°C
Chamber dimensions: 575 x 450 x 316 mm
GN: GN 1/1

700 SERIES
INDUCTION / CERAMIC HOBS

Energy savings of up to 50%
Efficiency of up to 90%

Heating zones with power up to 4 kW

SaveEnergy - no heat loss during cooking

Quick Reaction system - The hob reacts instantly to changes in temperature on the knob

SaveHands - No risk of burns

Ceramic version

- Smooth surface
- Easy cleaning
- Pot presence control

Illustrative photo. Visualisation of induction heating

700 SERIES
INDUCTION / CERAMIC COOKERS

700.KE-2i

700.KE-2i/400.T

700.KE-2i/400.S

700.KE-2i/400.S.D

2-burner induction hob



Model	Dimensions (mm)	Heating zones	Power (kW)	Net price
700.KE-2i/400	400x700x280	2	7 kW	€ 5 670
700.KE-2i/400.T	400x700x900	2	7 kW	€ 6 045
700.KE-2i/400.S	400x700x900	2	7 kW	€ 6 045
700.KE-2i/400.S.D	400x700x900	2	7 kW	€ 6 160

700.KE-4i/800

700.KE-4i/800.T

700.KE-4i/800.S

700.KE-4i/800.S.D

4-burner induction cooker



Model	Dimensions (mm)	Heating zones	Power (kW)	Net price
700.KE-4i/800	800x700x280	4	14 kW	€ 11 290
700.KE-4i/800.T	800x700x900	4	14 kW	€ 11 715
700.KE-4i/800.S	800x700x900	4	14 kW	€ 11 755
700.KE-4i/800.S.D	800x700x900	4	14 kW	€ 11 985

LINE 700

INDUCTION / CERAMIC HOBS

700.KE-4C

700.KE-4C.T

700.KE-4C.S

700.KE-4C.S.D

4-ring ceramic hob



Model	Dimensions (mm)	Heating zones	Power (kW)	Net price
700.KE-4C	800x700x280	4	12,1 kW	€ 3 899
700.KE-4C.T	800x700x900	4	12,1 kW	€ 4 324
700.KE-4C.S	800x700x900	4	12,1 kW	€ 4 364
700.KE-4C.S.D	800x700x900	4	12,1 kW	€ 4 594

700.KG/I-400

700.KG/I-400.T

700.KG/I-400.S

700.KG/I-400.S.D

Chrome-plated gas heating plate 400 mm



Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG/I-400	400x700x280	1	4,5 kW	€ 2 020
700.KG/I-400.T	400x700x900	1	4,5 kW	€ 2 395
700.KG/I-400.S	400x700x900	1	4,5 kW	€ 2 395
700.KG/I-400.S.D	400x700x900	1	4,5 kW	€ 2 510

700.KG/I-800

700.KG/I-800.T

700.KG/I-800.S

700.KG/I-800.S.D

Chrome-plated gas heating plate 800 mm



Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG/I-800	800x700x280	1	9 kW	€ 2 825
700.KG/I-800.T	800x700x900	1	9 kW	€ 3 250
700.KG/I-800.S	800x700x900	1	9 kW	€ 3 290
700.KG/I-800.S.D	800x700x900	1	9 kW	€ 3 520

700.KG/I-800/PE-2

Chrome-plated heating plate 800 mm with electric / gas oven



Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG/I-800/PE-2	800x700x900	1	9 kW	€ 5 130
700.KG/I-800/PG-2	800x700x900	1	9 kW	€ 5 260

700.KG/I-800/PE-2
Electric oven
Power: 6.5 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 250°C
Chamber dimensions: 695 x 550 x 310 mm
GN: GN 2/1

700.KG/I-800/PG-2
Gas oven
Power: 5.5 kW
Temperature range: 150° - 300°C
Chamber dimensions: 695 x 550 x 310 mm
GN: GN 2/1

700 SERIES
GAS FRYERS



+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

700.FG-15f

Gas fryer 1 x 15 l
on a closed cabinet base

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
700.FG-15f	400x700x900	15 dm^3	12,7 kW	€ 2 720

700 LINE
ELECTRIC DEEP FRYERS



Ideal power-to-capacity ratio 1 l - 1 kW

Sturdy baskets and lids

DTP - DUAL THERMO PROTECTION

Acid-resistant steel tank

Various tank capacities

Cold zone forhigh working comfort.

Modern control panel with temperature control and timer.

Rotating heaters for easy cleaning

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

700 SERIES
ELECTRIC FRYERS

700.FE-2x15f

700.FE-15f

Electric fryer 1 x 15l
Electric fryer 2 x 15l

Model	Dimensions (mm)	Power (kW)	Net price
700.FE-15f	400x700x900	15 kW	€ 2 615
700.FE-2x15f	800x700x900	30 kW	€ 4 335

700.FE-10f

700.FE-10f.T

700.FE-10f.S

700.FE-10f.S.D

Electric deep fryer 1 x 8l

Model	Dimensions (mm)	Power (kW)	Net price
700.FE-10f	400x700x280	8 kW	€ 2 080
700.FE-10f.T	400x700x900	8 kW	€ 2 455
700.FE-10f.S	400x700x900	8 kW	€ 2 455
700.FE-10f.S.D	400x700x900	8 kW	€ 2 570

700.FE-2x10f

700.FE-2x10f.T

700.FE-2x10f.S

700.FE-2x10f.S.D

Electric fryer 2 x 8l

Model	Dimensions (mm)	Power (kW)	Net price
700.FE-2x10f	800x700x280	16 kW	€ 3 235
700.FE-2x10f.T	800x700x900	16 kW	€ 3 660
700.FE-2x10f.S	800x700x900	16 kW	€ 3 700
700.FE-2x10f.S.D	800x700x900	16 kW	€ 3 930

LINE 700
FRITES HEATERS

All stainless steel

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

700.PF-1p

700.PF-1p.T

700.PF-1p.S

700.PF-1p.S.D

French fry warmer with IR radiator

Model	Dimensions (mm)	Power (kW)	Net price
700.PF-1p	400x700x280	1,35 kW	€ 1 670
700.PF-1p.T	400x700x900	1,35 kW	€ 2 045
700.PF-1p.S	400x700x900	1,35 kW	€ 2 045
700.PF-1p.S.D	400x700x900	1,35 kW	€ 2 160

700.PF-1

700.PF-1.T

700.PF-1.S

700.PF-1.S.D

French fry warmer

Model	Dimensions (mm)	Power (kW)	Net price
700.PF-1	400x700x280	0,7 kW	€ 1 440
700.PF-1.T	400x700x900	0,7 kW	€ 1 815
700.PF-1.S	400x700x900	0,7 kW	€ 1 815
700.PF-1.S.D	400x700x900	0,7 kW	€ 1 930

LINE 700
PASTA AND DUMPLING COOKER

Accessories

- Pasta cooker container 1/3 GN
- Pasta cooker container 1/6 GN

CCB601

CCB602

700.EUS-400.S.D

Pasta and dumpling cooker with drainer and two baskets on a closed cabinet base

Model	Dimensions (mm)	Power (kW)	Net price
700.EUS-400.S.D	400x700x900	6 kW	€ 2 310

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

700.BE-1

700.BE-1.T

700.BE-1.S

700.BE-1.S.D

Electric bain-marie

Model	Dimensions (mm)	Power (kW)	Net price
700.BE-1	400x700x280	0,7 kW	€ 1 285
700.BE-1.T	400x700x900	0,7 kW	€ 1 660
700.BE-1.S	400x700x900	0,7 kW	€ 1 660
700.BE-1.S.D	400x700x900	0,7 kW	€ 1 775

700 SERIES

GAS / ELECTRIC GRILL PLATES

700.PBG-400G

Smooth chrome gas grill plate 400 mm on a closed cabinet base

Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.PBG-400G	400x700x900	1	5,5 kW	€ 2 975

700.PBG-400R

Chrome-plated grooved gas grill plate, 400 mm, on a closed cabinet base

Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.PBG-400R	400x700x900	1	5,5 kW	€ 3 055

700 SERIES
ELECTRIC GRILL PLATES

700.PBE-400G

700.PBE-400G.T

700.PBE-400G.S

700.PBE-400G.S.D

Smooth chrome-plated grill plate 400 mm

Model	Dimensions (mm)	Working area (mm)	Power (kW)	Net price
700.PBE-400G	400x700x280	396 x 560	4,8 kW	€ 2 055
700.PBE-400G.T	400x700x900	396 x 560	4,8 kW	€ 2 430
700.PBE-400G.S	400x700x900	396 x 560	4,8 kW	€ 2 430
700.PBE-400G.S.D	400x700x900	396 x 560	4,8 kW	€ 2 545

700.PBE-400R

700.PBE-400R.T

700.PBE-400R.S

700.PBE-400R.S.D

Chrome-plated ribbed grill plate 400 mm

Model	Dimensions (mm)	Working area (mm)	Power (kW)	Net price
700.PBE-400R	400x700x280	396 x 560	4,8 kW	€ 2 130
700.PBE-400R.T	400x700x900	396 x 560	4,8 kW	€ 2 505
700.PBE-400R.S	400x700x900	396 x 560	4,8 kW	€ 2 505
700.PBE-400R.S.D	400x700x900	396 x 560	4,8 kW	€ 2 620

700.PBE-600G

700.PBE-600G.T

700.PBE-600G.S

700.PBE-600G.S.D

Smooth grill plate 600 mm

Model	Dimensions (mm)	Working area (mm)	Power (kW)	Net price
700.PBE-600G	600x700x280	596 x 560	8 kW	€ 2 780
700.PBE-600G.T	600x700x900	596 x 560	8 kW	€ 3 180
700.PBE-600G.S	600x700x900	596 x 560	8 kW	€ 3 180
700.PBE-600G.S.D	600x700x900	596 x 560	8 kW	€ 3 440

700.PBE-600GR

700.PBE-600GR.T

700.PBE-600GR.S

700.PBE-600GR.S.D

Grill plate 1/2 head + 1/2 ribbed, chrome-plated, 600 mm

Model	Dimensions (mm)	Working area (mm)	Power (kW)	Net price
700.PBE-600GR	600x700x280	596 x 560	8 kW	€ 2 899
700.PBE-600GR.T	600x700x900	596 x 560	8 kW	€ 3 299
700.PBE-600GR.S	600x700x900	596 x 560	8 kW	€ 3 299
700.PBE-600GR.S.D	600x700x900	596 x 560	8 kW	€ 3 429

700.PBE-800GR

700.PBE-800GR.T

700.PBE-800GR.S

700.PBE-800GR.S.D

Grill plate 1/2 flat + 1/2 ribbed, chrome-plated, 800 mm

Model	Dimensions (mm)	Working area (mm)	Power (kW)	Net price
700.PBE-800GR	800x700x280	796 x 560	9,6 kW	€ 3 110
700.PBE-800GR.T	800x700x900	796 x 560	9,6 kW	€ 3 535
700.PBE-800GR.S	800x700x900	796 x 560	9,6 kW	€ 3 575
700.PBE-800GR.S.D	800x700x900	796 x 560	9,6 kW	€ 3 805

NEW

700.PBE-800G

700.PBE-800G.T

700.PBE-800G.S

700.PBE-800G.S.D

Smooth chrome-plated grill plate 800 mm

Model	Dimensions (mm)	Working area (mm)	Power (kW)	Net price
700.PBE-800G	800x700x280	796 x 560	9,6 kW	€ 2 975
700.PBE-800G.T	800x700x900	796 x 560	9,6 kW	€ 3 400
700.PBE-800G.S	800x700x900	796 x 560	9,6 kW	€ 3 440
700.PBE-800G.S.D	800x700x900	796 x 560	9,6 kW	€ 3 670

700 SERIES
LAVA GRILLS



+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

700.OGL-400

700.OGL-400.T

700.OGL-400.S

700.OGL-400.S.D

Lava grill 400 mm

Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.OGL-400	400x700x280	1	7 kW	€ 1 825
700.OGL-400.T	400x700x900	1	7 kW	€ 2 200
700.OGL-400.S	400x700x900	1	7 kW	€ 2 200
700.OGL-400.S.D	400x700x900	1	7 kW	€ 2 315

700.OGL-800

700.OGL-800.T

700.OGL-800.S

700.OGL-800.S.D

Lava grill 800 mm

Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.OGL-800	800x700x280	2	14 kW	€ 2 899
700.OGL-800.T	800x700x900	2	14 kW	€ 3 324
700.OGL-800.S	800x700x900	2	14 kW	€ 3 364
700.OGL-800.S.D	800x700x900	2	14 kW	€ 3 594

LINE 700
BOILING PANS

Aesthetic tap for easy filling of the boiling pan with water and easy cleaning.

Automatic jacket filling*

Pressed double lid

Pressure gauge and safety valve

Two power ranges with smooth adjustment

Polished bottom made of AISI 316 acid-resistant steel facilitates cleaning and reduces sticking

Large drain valve for complete draining of the food from the boiling pan

Double jackets in the kettles ensure even heating and prevent sticking

700.BEK-80AN

80 l electric intermediate boiling kettle with automatic filling

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
700.BEK-80AN	800x700x900	80 dm³	12,5 kW	€ 6 515

*applies to model 700.BEK-80AN

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

700.BEK-80

Electric indirect boiling pan 80l

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
700.BEK-80	800x700x900	80 dm³	12,5 kW	€ 5 645

700.BGK-80

Gas-fired indirect boiling pan 80l

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
700.BGK-80	800x700x900	80 dm³	16 kW	€ 6 205

NEW

700.BGK-80AN

Gas-fired indirect boiling pan with automatic filling

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
700.BGK-80AN	800x700x900	80 dm³	16 kW	€ 6 720

LINE 700
TILTING BRATT PANS

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

700.PTG-03

Tilting gas pan 50l

Model	Dimensions (mm)	Cap.	Power (kW)	Net price
700.PTG-03	800x700x900	50 dm³	10 kW	€ 5 080

700.PE-03

Tilting electric pan 50l

Model	Dimensions (mm)	Cap.	Power (kW)	Net price
700.PE-03	800x700x900	50 dm³	9 kW	€ 4 485

LINE 700
NEUTRAL ELEMENTS

700.SR-200

700.SR-400

Neutral element 200 mm

Model	Dimensions (mm)	Net price
700.SR-200	200x700x280	€ 335

Neutral element 400 mm

Model	Dimensions (mm)	Net price
700.SR-400	400x700x280	€ 425

700.SR-600

700.SR-800

Neutral element 600mm

Model	Dimensions (mm)	Net price
700.SR-600	600x700x280	€ 450

Neutral element 800mm

Model	Dimensions (mm)	Net price
700.SR-800	800x700x280	€ 490

700.T-200

Open base 200 mm

Model	Dimensions (mm)	Net price
700.T-200	200x566x620	€ 245

700.T-400

Open base 400 mm

Model	Dimensions (mm)	Net price
700.T-400	400x566x620	€ 375

700.T-600

Open base 600 mm

Model	Dimensions (mm)	Net price
700.T-600	600x566x620	€ 400

700.T-800

Open base 800mm

Model	Dimensions (mm)	Net price
700.T-800	800x566x620	€ 425

700.T-1200

Open base 1200mm

Model	Dimensions (mm)	Net price
700.T-1200	1200x566x620	€ 475

LINE 700
CABINET BASE

700.S-400

700.S-600

Cabinet base 400mm

Model	Dimensions (mm)	Net price
700.S-400	400x566x620	€ 375

Cabinet base 600mm

Model	Dimensions (mm)	Net price
700.S-600	600x566x620	€ 400

700.S-800

700.S-1200

Cabinet base 800mm

Model	Dimensions (mm)	Net price
700.S-800	800x566x620	€ 465

Cabinet base 1200 mm

Model	Dimensions (mm)	Net price
700.S-1200	1200x566x620	€ 475

700.D-400

700.D-600

Door 400 mm

Model	Dimensions (mm)	Net price
700.D-400	394x30x444	€ 115

Door 600 mm

Model	Dimensions (mm)	Net price
700.D-600	594x30x444	€ 130

700.Z-400

700.Z-600

Drawer 400 mm

Model	Dimensions (mm)	Net price
700.Z-400	390x560x215	€ 180

Drawer 600 mm

Model	Dimensions (mm)	Net price
700.Z-600	590x560x215	€ 205

LINE 700
ACCESSORIES

000.NGG-1

Smooth cover for gas cookers

Model	Dimensions (mm)	Net price
000.NGG-1	320x539x100	Ask for the price

000.NGR-1

Ribbed cover for gas cookers

Model	Dimensions (mm)	Net price
000.NGR-1	320x539x100	Ask for the price

700.NRG-1

Reduction cover for gas cookers

Model	Dimensions (mm)	Net price
700.NRG-1	140x140x18	Ask for the price

700.NES-2

Reduction cover for electric cooker

Model	Dimensions (mm)	Net price
700.NES-2	291x551x22	Ask for the price

700.WOK-1

Reduction cover for WOK pan grate

Model	Dimensions (mm)	Net price
000.WOK-1	Ø 250 x 75	Ask for the price

CCB601

Container for pasta maker 1/3 GN

Model	Dimensions (mm)	Net price
CCB601	160x290x215	Ask for the price

CCB602

Container for pasta maker 1/6 GN

Model	Dimensions (mm)	Net price
CCB602	140x140x215	Ask for the price

CFC536

Basket for electric fryers

Model	Dimensions (mm)	Net price
CFC536	210x280x90	Ask for the price

7AD182

Basket for gas fryers

Model	Dimensions (mm)	Net price
7AD182	275x300x120	Ask for the price

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

Compact line
700

COMPACT 700 LINE

GAS COOKERS

Professional Kromet gas cookers, reliable and easy to use.

COMPACT 700 LINE
GAS COOKERS

000.KG-2M

2-burner gas boiling top on open base



Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.KG-2M	400x700x850	2	12 kW	€ 1 145

000.KG-4M

4-burner gas boiling top on open base



Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.KG-4M	800x700x850	4	24 kW	€ 1 745

000.KG-6M

6-burner gas boiling top on open base



Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.KG-6M	1200x700x850	6	36 kW	€ 2 385

COMPACT 700 LINE

GAS COOKERS WITH OVEN

Ergonomic knobs.

Gas oven burner generator

Top / bottom heating in electric oven

Smooth temperature control
50-250°C - electric oven
150-300°C - gas oven

Thermally insulated doors ensure perfectly even baking

Cool-touch handle for comfortable use

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

COMPACT 700 LINE
GAS COOKERS WITH OVEN

000.KG-4s/PG-2

Gas cooker with gas oven



Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.KG-4s/PG-1	800x700x900	4	17,5 kW	€ 3 465
000.KG-4s/PG-2	800x700x900	4	18,5 kW	€ 3 825

000.KG-4s/PG-1
Gas oven
Power: 4.5 kW
Temperature range: 150° - 300°C
Chamber dimensions: 575 x 450 x 316 mm
GN: 2 x GN 1/1

000.KG-4s/PG-2
Gas oven
Power: 5.5 kW
Temperature range: 150° - 300°C
Chamber dimensions: 695 x 550 x 310 mm
GN: 2 x GN 2/1

000.KG-4s/PE-2

Gas cooker with electric oven



Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.KG-4s/PE-1	800x700x900	4	13 kW	€ 3 465
000.KG-4s/PE-2	800x700x900	4	13 kW	€ 3 720
000.KG-4S/PE-1T	800x700x900	4	13 kW	€ 3 820

000.KG-4s/PE-1
Electric oven
Power: 3.5 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 250°C
Chamber dimensions: 575 x 450 x 316 mm
GN: 2 x GN 1/1

000.KG-4s/PE-2
Electric oven
Power: 6.5 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 250°C
Chamber dimensions: 695 x 550 x 310 mm
GN: 2 x GN 2/1

000.KG-4S/PE-1T
Electric oven with convection
Power: 3.5 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 300°C
Chamber dimensions: 575 x 450 x 316 mm
GN: 2 x GN 2/1

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

COMPACT 700 LINE

ELECTRIC COOKERS

Embossed top plates prevent dripping into the interior of the appliance

Top plates made of AISI 304 steel

7-step temperature control

Large uniform hob surface allows multiple dishes to be heated simultaneously. The entire hob surface ensures even temperature distribution.

Hobs allow the entire heating surface to be used

Removable fat and waste drawer

Stable construction thanks to the use of 1.5 mm thick sheet metal

Easy cleaning thanks to the tilting mechanism of the hotplates

Solid and stable construction

COMPACT 700 LINE
ELECTRIC COOKERS

000.KE-2M

2-ring electric cooker with round hob on open base



Model	Dimensions (mm)	Heating lates	Power (kW)	Net price
000.KE-2M	400x700x850	2	5,2 kW	€ 835

000.KE-4M

4-ring electric cooker with round hob on open base



Model	Dimensions (mm)	Heating lates	Power (kW)	Net price
000.KE-4M	800x700x850	4	9,8 kW	€ 1 235

000.KE-6M

6-ring electric cooker with round hob on open base



Model	Dimensions (mm)	Heating lates	Power (kW)	Net price
000.KE-6M	1200x700x850	6	14,4 kW	€ 1 590

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

COMPACT 700 LINE
ELECTRIC COOKERS

000.KEZ-4u

4-ring square electric hob



Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
000.KEZ-4u	800x800x230	4	16 kW	€ 3 055

000.KEZ-4u.T

4-ring square electric hob on an open base



Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
000.KEZ-4u.T	800x800x850	4	16 kW	€ 3 415

000.KEZ-4u.S

4-ring square electric hob on an open cabinet base



Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
000.KEZ-4u.S	800x800x850	4	16 kW	€ 3 520

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

COMPACT 700 LINE

ELECTRIC COOKERS



000.KEZ-4u.S

4-ring square electric hob on a closed cabinet base

Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
000.KEZ-4u.S.D	800x800x850	4	16 kW	€ 3 750

INDUCTION COOKERS

000.KE-2i

2-zone induction cooker

Model	Dimensions (mm)	Heating zones	Power (kW)	Net price
000.KE-2i	400x700x280	2	4,2 kW	€ 1 925

DEEP FRYERS

000.FE-10f

Electric deep fryer, 8 l

Model	Dimensions (mm)	Power (kW)	Net price
000.FE-10f	400x700x280	8 kW	€ 1 500

Line 900

900 SERIES
GAS COOKERS

1.5 mm thick stainless steel top plate

Customised burner positions and power settings*

Profiled front for clean knobs

Energy efficiency

Powerful double crown burners - 9.0 kW

Large ergonomic knobs with safety ring

Reduction plate for WOK pan grate

Accessories

- Smooth grill plate
- Grooved grill plate
- Wok pan

000.NGG-1

000.NGR-1

700.WOK-1

* for an additional charge of PLN 300 / 1 burner

900.KG-4

900.KG-4.T

900.KG-4.S

900.KG-4.S.D

4-burner gas boiling top on open base



Model	Dimensions (mm)	Burners	Power (kW)	Net price
900.KG-4	900x900x280	4	30 kW	€ 2 310
900.KG-4.T	900x900x900	4	30 kW	€ 2 980
900.KG-4.S	900x900x900	4	30 kW	€ 2 980
900.KG-4.S.D	900x900x900	4	30 kW	€ 3 320

900.KG-6

900.KG-6.T

900.KG-6.S

900.KG-6.S.D

6-burner gas boiling top on open base



Model	Dimensions (mm)	Burners	Power (kW)	Net price
900.KG-6	1350x900x280	6	42 kW	€ 2 950
900.KG-6.T	1350x900x900	6	42 kW	€ 3 670
900.KG-6.S	1350x900x900	6	42 kW	€ 3 670
900.KG-6.S.D	1350x900x900	6	42 kW	€ 4 180

900 LINE

COOKERS WITH ELECTRIC OVEN

Powerful double-ring burners - 9.0 kW

Large ergonomic knobs with safety ring

Reduction plate for WOK pan

Accessories

- Smooth grill plate
- Grooved grill plate
- Wok attachment

000.NGG-1

000.NGR-1

700.WOK-1

* for an additional charge of PLN 300 / 1 burner

LINE 900
COOKERS WITH ELECTRIC OVEN

900.KE-4/PE-1T

Electric cooker with electric oven with convection



Model	Dimensions (mm)	Heating lates	Power (kW)	Net price
900.KE-4/PE-1T	900x900x900	4	16 kW	€ 4 780

Electric oven
Power: 7.0 kW
Fan: Yes
Heating: top, bottom, top/bottom
Temperature range: 50° - 250°C
Chamber dimensions: 535 x 650 x 360 mm
GN: GN 2/1

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

900 LINE
ELECTRIC COOKERS

1.5 mm thick stainless steel top plate

Square hot plates 300x300mm

Large ergonomic knobs with safety ring

Embossed top plate for easy cleaning

Six-step power adjustment

Front profiling for clean knobs

900.KE-4

Electric cooker with 4 hotplates



Model	Dimensions (mm)	Heating lates	Power (kW)	Net price
900.KE-4	900x900x280	4	16 kW	€ 2 615
900.KE-4.T	900x900x900	4	16 kW	€ 3 285
900.KE-4.S	900x900x900	4	16 kW	€ 3 285
900.KE-4.S.D	900x900x900	4	16 kW	€ 3 625

900.KE-4.T

900.KE-4.S

900.KE-4.S.D

900 LINE
INDUCTION COOKERS

Energy savings up to 50%
Efficiency up to 90%

Illustrative photo.
Visualisation of
induction heating

900.KE-4i/900

4-field induction hob



Model	Dimensions (mm)	Pola grzewcze	Power (kW)	Net price
900.KE-4i/900	900x900x280	4	20 kW	Ask for the price
900.KE-4i/900.T	900x900x900	4	20 kW	Ask for the price
900.KE-4i/900.S	900x900x900	4	20 kW	Ask for the price
900.KE-4i/900.S.D	900x900x900	4	20 kW	Ask for the price

900.KE-4i/900.T

900.KE-4i/900.S

900.KE-4i/900.S.D

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl



High power heaters

Large capacity
Large cold zone

900.FE-18f

Electric deep fryer with cabinet 1 x 23l

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
900.FE-18f	450x900x900	23 dm³	13,5 kW	€ 3 205

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

LINE 900
BOILING PANS

*Applies to models 900.BEK-150AN and 900.BEK-200AN

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

900.BEK-150AN

150 l electric indirect heating boiling pan with automatic filling

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
900.BEK-150AN	900x900x900	150 dm^3	18,5 kW	€ 6 410

Drain valve: 1 1/2" Rated voltage, type of current: 400V 3N~ Water connection: G 1/2 Max. working pressure: 0.5 bar Distance of drain valve from the ground: 313 mm

900.BEK-200AN

200 l electric indirect boiling pan with automatic filling

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
900.BEK-200AN	900x900x900	200 dm^3	24,5 kW	€ 7 000

Drain valve: 1 1/2" Rated voltage, current type: 400V 3N~ Water connection: G 1/2 Max. operating pressure: 0.5 bar Distance of drain valve from the ground: 245 mm

LINE 900
BOILING PANS

900.BEK-150.2

150 l electric indirect boiling pan

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
900.BEK-150.2	900x900x900	150 dm³	18,5 kW	€ 5 950

Drain valve: 1 1/2" Rated voltage, current type: 400V 3N~ Water connection: G 1/2 Max. working pressure: 0.5 bar Distance of drain valve from the ground: 313 mm

900.BEK-200

Electric indirect boiling kettle 200 l

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
900.BEK-200	900x900x900	200 dm³	24,5 kW	€ 6 410

Drain valve: 1 1/2" Rated voltage, current type: 400V 3N~ Water connection: G 1/2 Max. operating pressure: 0.5 bar Distance of drain valve from the ground: 245 mm

900.BGK-150.1

150 l gas-fired indirect brewing kettle

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
900.BGK-150.1	900x900x900	150 dm^3	21kW	€ 6 360

Drain valve: 1 1/2" Rated voltage, current type: 230V ~ Water connection: G 1/2 Max. operating pressure: 0.5 bar Distance of drain valve from the ground: 313 mm

900.BGK-200

200 l indirect gas-fired boiling pan

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
900.BGK-200	900x900x900	200 dm^3	21 kW	€ 6 925

Drain valve: 1 1/2" Rated voltage, type of current: 230V ~ Water connection: G 1/2 Max. working pressure: 0.5 bar Distance of drain valve from the ground: 245 mm

LINE 900
BREWING KETTLES

900.BGK-150AN

150 l gas-fired indirect brewing kettle with automatic filling

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
900.BGK-150AN	900x900x900	150 dm³	21 kW	€ 6 670

Drain valve: 1 1/2â€ť Rated voltage, type of current: 230V ~ Water connection: G 1/2 Max. operating pressure: 0.5 bar Distance of drain valve from the ground: 245 mm

900.BGK-200AN

200 l gas-fired indirect boiling pan with automatic filling

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
900.BGK-200AN	900x900x900	200 dm³	21 kW	€ 7 285

Drain valve: 1 1/2" Rated voltage, current type: 230V ~ Water connection: G 1/2 Max. working pressure: 0.5 bar Distance of drain valve from the ground: 245 mm

*Additional charge PLN 1000 | **Applies to model 900.PE-05Ex

LINE 900
TILTING BRATT PANS

900.PE-05Ex

Electric pan (automatic tilt) 80 l

Model	Dimensions (mm)	Capacity	Power (kW)	Net price
900.PE-05Ex	900x900x900	80 dm³	12 kW	€ 5 695

Working surface: 0.5 m²
Bowl dimensions: 775 x 605 x 200 mm
Temperature range: 50-275°C
Rated voltage, type of current: 400V 3N~

900.PE-05Ex

Gas pan (automatic tilt) 80 l

Model	Dimensions (mm)	Capacity	Power (kW)	Net price
900.PTG-05Ex	900x900x900	80 dm³	18 kW	€ 5 900

Working area: 0.5 m² Bowl dimensions: 775 x 605 x 200 mm Gas connection: R1/2

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

LINE 900
BASES

900.T-900

Open base 900 mm

Model	Dimensions (mm)	Net price
900.T-900	900x772x620	€ 670

900.T-1350

Open base 1350 mm

Model	Dimensions (mm)	Net price
900.T-1350	1350x772x620	€ 720

900.S-900

Cabinet base 900 mm

Model	Dimensions (mm)	Net price
900.S-900	900x772x620	€ 670

900.S-1350

Cabinet base 1350 mm

Model	Dimensions (mm)	Net price
900.S-1350	1350x772x620	€ 720

LINE 900
DOORS

900.D-450

Door 450 mm

Model	Dimensions (mm)	Net price
900.D-450	440x20x444	€ 170

Compact line 900

COMPACT 900 LINE

GAS COOKERS

Professional Kromet gas cookers, reliable and easy to use.

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

COMPACT 900 LINE
GAS COOKERS

000.KG-2L

2-burner gas boiling top on open base



Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.KG-2L	450x850x850	2	12 kW	€ 1 080

000.KG-4L

4-burner gas boiling top on open base



Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.KG-4L	900x850x850	4	30 kW	€ 1 825

000.KG-6L

6-burner gas boiling top on open base



Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.KG-6L	1350x850x850	6	42 kW	€ 2 515

CONVECTION OVENS

Segmented convection ovens with convection are recommended as basic equipment for small and medium-sized catering establishments as well as large professional kitchens.

Double glass in the door, the use of double glass in the door with a ventilated outer pane ensures a safe temperature on the door housing

Even temperature distribution thanks to proper air circulation ensures the same baking results on all levels

Removable guides, easy to dismantle for cleaning and shaped to ensure correct positioning of the container

Hygienic chamber with rounded edges and corners and a drain at the bottom for easy cleaning of the interior

CONVECTION OVENS

1-chamber convection oven with convection

000.PE-1/T

Model	Dimensions (mm)	Power (kW)	Net price
000.PE-1/T	900x850x640	7 kW	€ 2 720

Temperature range: 50° - 250°C
Chamber dimensions: 535 x 650 x 360 mm Number of chambers: 1
GN: 3 x GN 2/1

2-chamber convection oven with convection

000.PE-2/T

Model	Dimensions (mm)	Power (kW)	Net price
000.PE-2/T	900x850x1110	14 kW	€ 4 570

Temperature range: 50° - 250°C
Chamber dimensions: 535 x 650 x 360 mm Number of chambers: 2
GN: 6 x GN 2/1

3-chamber convection oven with convection

000.PE-3/T

Model	Dimensions (mm)	Power (kW)	Net price
000.PE-3/T	900x850x1580	21 kW	€ 6 310

Temperature range: 50° - 250°C
Chamber dimensions: 535 x 650 x 360 mm
Number of chambers: 3
GN: 9 x GN 2/1

OVENS

700.PG-1

Gas oven 2 x GN 1/1

Model	Dimensions (mm)	Power (kW)	Net price
700.PG-1	800x650x650	4,5 kW	€ 2 020

Temperature range: 150° - 300°C
Chamber dimensions: 575 x 450 x 316 mm
GN: 2 x GN 1/1

700.PE-1

Electric oven 2 x GN 1/1
* version with convection

Model	Dimensions (mm)	Power (kW)	Net price
700.PE-1	800x650x620	3,5 kW	€ 2 020
700.PE-1T*	800x650x620	3,5 kW	€ 2 360

Temperature range: 50° - 250°C
Chamber dimensions: 575 x 450 x 316 mm
GN: 2 x GN 1/1

Glass doors available at extra cost

ACCESSORIES

GN 2/1 grate

Model	Dimensions (mm)	Net price
GAB 001	650x530	€ 65

GN 1/1 grate

Model	Dimensions (mm)	Net price
GAB 002	530x325	€ 40

000.T-PKTP10

Base for RINATO oven, base dimensions

Model	Dimensions (mm)	Net price
000.T-PKTP10	830x700x627	€ 450

000.T-900

Oven base

Model	Dimensions (mm)	Net price
000.T-900	900x870x620	€ 410

Free-standing appliances

COMBINATION OVENS

The PK series combination ovenss offered by Kromet are versatile devices that enable thermal processing in safe and hygienic conditions.

FlexiCore
Universal chamber for catering and baking applications

EcoWash+
Economical washing system with liquid instead of tablets

NEW

MultiColor Display
Intuitive 7-inch touch panel

DeltaPro
Precise temperature control

TurboHeat
Rapid heating system

RINATO - technologically advanced combination ovens

Model	Dimensions (mm)	Chamber dimensions (mm)	Power (kW)	Net price
000.PKTP-10	915x840x1132	490 x 630 x 780	15,7 kW	€ 7 950
000.PKTP-6	915x840x852	490 x 630 x 500	10,7kW	€ 6 670

Temperature range: 30° - 270°C
Rated voltage: 400V

An oven that meets the needs of modern commercial kitchens. Designed with global standards in mind, it features: versatility of use (from catering to baking), lower operating costs thanks to EasyClean Tech, intuitive operation that minimises .

ELECTRIC BOILING PANS

000.BEK-250AN

Electric boiling pan NEW

Model	Capacity	Dimensions (mm)	Power (kW)	Net price
000.BEK-250AN	250 dm^3	1100x1100x900	32,5 kW	€ 10 130
000.BEK-300AN	300 dm^3	1100x1100x900	32,5 kW	€ 10 515

Drain valve 1 1/2"
Rated voltage: 400V 3N~
Water connection G 1/2"
Max. operating pressure: 0.5 bar

INDUCTION FRYER

000.PE-02i

Induction bratt pan 10 kW NEW

Free-standing appliance designed for professional kitchens.

- Up to 40% lower energy consumption
- Fast heating
- Precise temperature control Independent heating zones
- Automatic bowl lifting

Model	Dimensions (mm)	Power (kW)	Net price
000.PE-02i	700x800x900	10 kW	€ 11 435

Temperature range: 80-250°C
Bowl dimensions: 580x485x200 mm
Rated voltage: 400V

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

TILTING BRATT PANS

000.PE-07x

Electric bratt pan 120 l

Model	Dimensions (mm)	Power (kW)	Net price
000.PE-07x	1200x900x900	16,8 kW	€ 7 435

Capacity: 120 dm³
Working area: 0.7 m²
Temperature range: 50-300°C
Bowl dimensions: 1115x630x200
Two heating zones
Water battery
Automatic bowl lifting

000.PTG-025

Gas bratt pan 37 l

Model	Dimensions (mm)	Power (kW)	Net price
000.PTG-025	700x600x850	6,5 kW	€ 2 285

Capacity: 37 dm³
Working surface: 0.25 m²
Temperature range: 50-250°C
Bowl dimensions: 565x425x150
Bottom thickness: 6 mm

TILTING FRYERS

000.PE-025p

Stainless steel electric fryer 37l

Model	Dimensions (mm)	Power (kW)	Net price
000.PE-025p	700x600x850	6,5 kW	€ 1 850

Capacity: 37dm³
Working surface: 0.25 m²
Temperature range: 50-250°C
Bowl dimensions: 565x425x150
Bottom thickness: 6 mm

000.PE-025s

Stainless steel electric fryer 37l

Model	Dimensions (mm)	Power (kW)	Net price
000.PE-025s	700x600x850	6,5 kW	€ 1 795

Capacity: 37dm³
Working surface: 0.25 m²
Temperature range: 50-250°C
Bowl dimensions: 565x425x150
Bottom thickness: 6 mm

000.PE-025N

Stainless steel electric fryer 37l

Model	Dimensions (mm)	Power (kW)	Net price
000.PE-025N	700x600x650	6,5 kW	€ 1 795

Capacity: 37dm³
Working area: 0.25 m²
Temperature range: 50-250°C
Bowl dimensions: 565x425x150
Bottom thickness: 6 mm

TILTING BRATT PANS

000.PE-040x

Stainless steel electric bratt pan with mechanical tilting bowl 64l

Model	Dimensions (mm)	Power (kW)	Net price
000.PE-040x	720x800x850	9 kW	€ 3 205

Capacity: 64dm³
Working surface: 0.40 m²
Temperature range: 50-250°C
Bowl dimensions: 670x630x158
Bottom thickness: 8 mm

000.PE-040p

Stainless steel electric bratt pan with manual tilting bowl 64l

Model	Dimensions (mm)	Power (kW)	Net price
000.PE-040p	720x800x850	9 kW	€ 3 205

Capacity: 64dm³
Working surface: 0.40 m²
Temperature range: 50-250°C
Bowl dimensions: 670x630x158
Bottom thickness: 8 mm

UNBEATABLE TEMPERATURE DISTRIBUTION

FRYING PAN PRODUCED BY KROMET



The newly designed 8 mm thick stainless steel bottom of the pan allows for perfect temperature distribution across the entire working surface of the bowl. Thanks to this solution, KROMET tilting bratt pans are unrivalledin their class.

Temperature distribution applies to models: 000.PE-025p, 000.PE-025s, 000.PE-025n

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

STOOLS

000.TE-1i

Induction stool

Model	Dimensions (mm)	Heating zones	Power (kW)	Net price
000.TE-1i	510x565x410	1	8 kW	€ 4 615

000.TE-2i

Induction stool

NEW

Model	Dimensions (mm)	Heating zones	Power (kW)	Net price
000.TE-2i	555x600x425	1	5 kW	€ 1 540
000.TE-3i	605x650x425	1	8 kW	€ 1 795

000.TE-1F

Electric stool 5KW

Model	Dimensions (mm)	Heating zones	Power (kW)	Net price
000.TE-1F	590x650x410	1	5 kW	€ 950

000.TG-1F

9KW gas stool

Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.TG-1F	590x650x410	1	9 kW	€ 795

000.TG-2

2-burner gas stool

Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.TG-2	1185x580x430	2	18 kW	€ 975

Gas stool

Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.TG-1	580x580x430	1	9 kW	€ 615

Gas stool

Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.TG-1s	400x400x380	1	6,5 kW	€ 375

Option to adapt the device to propane-butane gas - PLN 50 net

HEATING BAN-MARIES

Mobile bain-maries

NEW

Model	Dimensions (mm)	Power (kW)	Net price
000.BJ-2	850x700x900	1,4 kW	€ 1 385
000.BJ-3	1300x700x900	2,1 kW	€ 1 825
000.BJ-4	1650x700x900	2,8 kW	€ 1 975

Temperature range: 30-90°C
Power supply: 230 V

Stationary bain-maries

NEW

Model	Dimensions (mm)	Power (kW)	Net price
000.BS-2	850x700x900	1,4 kW	€ 1 359
000.BS-3	1300x700x900	2,1 kW	€ 1 795
000.BS-4	1650x700x900	2,8 kW	€ 1 949

Temperature range: 30-90°C
Power supply: 230 V

COOLING BASES

KR-94702

Cooling base for the 700 line, width 1200

Model	Dimensions (mm)	Drawer capacity	Power (kW)	Net price
KR-94702	1200x666x620	4 x GN 1/1 H=100mm	0,32 kW	€ 3 200

KR-94703

Cooling base for the 700 line, width 1600

Model	Dimensions (mm)	Drawer capacity	Power (kW)	Net price
KR-94703	1600x666x620	6 x GN 1/1 H=100mm	0,32 kW	€ 3 800

Compact
Fast Food line

FAST FOOD LINE

STAINLESS STEEL ROLLER TOASTERS

Electric roller toaster

000.ROE-6N

Model	Dimensions (mm)	Power (kW)	Net price
000.ROE-6N/45.1S.N	540x300x173	0,9 kW	€727

Temperature range: 50-300°C
Power supply: 230 V
Rollers: stainless steel
Number of heating zones: 1

Electric roller toaster

000.ROE-8N

Model	Dimensions (mm)	Power (kW)	Net price
000.ROE-8N/45.1S.N	540x381x173	1,2 kW	€808

Temperature range: 50-300°C
Power supply: 230 V
Rollers: Teflon
Number of heating zones: 1

Electric roller toaster

000.ROE-10N

Model	Dimensions (mm)	Power (kW)	Net price
000.ROE-10N/45.2S.N	540x468x173	1,5 kW	€1,128

Temperature range: 50-300°C
Power supply: 230 V
Rollers: stainless steel
Number of heating zones: 2

Electric roller toaster

000.ROE-14N

Model	Dimensions (mm)	Power (kW)	Net price
000.ROE-14N/45.2S.N	540x636x173	2,1 kW	€1,282
000.ROE-14N/65.2S.N	730x636x173	2,8 kW	€1,564

Temperature range: 50-300°C
Power supply: 230 V
Rollers: stainless steel
Number of heating zones: 2

Electric roller toaster

000.ROE-6

Model	Dimensions (mm)	Power (kW)	Net price
000.ROE-6/45.1S.N	540x300x173	0,9 kW	€754

Temperature range: 50-300°C
Power supply: 230 V
Rollers: Teflon
Number of heating zones: 1

Electric roller toaster

000.ROE-8

Model	Dimensions (mm)	Power (kW)	Net price
000.ROE-8/45.1S.N	540x381x173	1,2 kW	€888

Temperature range: 50-300°C
Power supply: 230 V
Rollers: Teflon
Number of heating zones: 1

FAST FOOD LINE

TELEPHONE ROLLER TOASTERS

000.ROE-10

Electric roller toaster

Model	Dimensions (mm)	Power (kW)	Net price
000.ROE-10/45.2S.N	540x468x173	1,5 kW	€1,179

Temperature range: 50-300°C
Power supply: 230 V
Rollers: Teflon
Number of heating zones: 2

000.ROE-14

Electric roller toaster

Model	Dimensions (mm)	Power (kW)	Net price
000.ROE-14/45.2S.N	540x636x173	2,1 kW	€1,397
000.ROE-14/65.2S.N	730x636x173	2,8 kW	€1,603

Temperature range: 50-300°C
Power supply: 230 V
Rollers: Teflon
Number of heating zones: 2

CERAMIC ROLLER TOASTER

000.ROEG-2

Electric roller toaster with heating plate

Model	Dimensions (mm)	Strefy grzewcze	Power (kW)	Net price
000.ROEG - 1	540x636x178	2	1,7 kW	€1,154
000.ROEG - 2	540x636x178	3	1,7 kW	€1,179

Temperature range: 50-300°C
Power supply: 230 V
Rollers: ceramic coating

SALAMANDER

000.SW-1

Salamander with lift

Model	Dimensions (mm)	Grate	Power (kW)	Net price
000.SW-1	500x553x465	1	3,5 kW	€ 1 385

Temperature range 50°C - 300°C
Grate dimensions: 350 x 500 mm
Rated voltage: 230V
Number of heating zones: 2

HEATING PLATE

000.PBE-460x480.N

Direct frying plate

Model	Dimensions (mm)	Worktop	Power (kW)	Net price
000.PBE-460x480.N	460x525x140	1	3,5 kW	€ 745

CONTACT GRILL

000.GS-1

Contact grill 1.6kW

Model	Dimensions (mm)	Heating plate	Power (kW)	Net price
000.GS-1	273x328x192	256x256 mm	1,6 kW	€ 508

Temperature range: 50-250°C
Power supply: 230 V
heating plate: Teflon coating

+48 683 835 324 | www.kromet.com.pl | handlowy@kromet.com.pl

SALES DEPARTMENT

Area - whole Poland:

Wiktor Tusiński
Domestic Sales Director

+ 48 512 469 575
w.tusinski@krometcom.pl

Sales Department:

Anetta Łopatkiewicz:

+48 513 347 565

Magdalena Grabowska

+48 660 487 270

handlowy@krometcom.pl | +48 68 383 52 73

Marketing department

Magdalena Grabowska

+48 660 487 270
marketing@krometcom.pl

Parts department:

Danuta Szaciłło

+48 660 759 509
czesci@krometcom.pl / +48 68 383 52 46

Service department:

serwis@krometcom.pl
+48 68 383 52 73 w. 367 | +48 660 455 460

Export seller

+48 798 351 223
export@krometcom.pl

www.krometcom.pl

PHOTOS IN THE CATALOGUE ARE FOR PREVIEW PURPOSES ONLY.
The final product may differ slightly from the model shown.

Znajdziesz nas na:

instagram.com/**kromet_**

facebook.com/**KrometSpzoo**

youtube.com/@**krometspzoo**

Fundusze Europejskie dla Nowoczesnej Gospodarki

Rzeczpospolita Polska

Dofinansowane przez Unię Europejską

Kromet Sp. z o.o.

ul. Pocztowa 30
66-600 Krosno Odrzańskie

tel. +48 383 53 24
www.kromet.com.pl

Kromet®

FOR
BETTER
COOKING