

Table of contents

Kromet®

About us	05	Compact 900 line	75
700 series	06	Gas cookers	76
Gas cookers	06	Convection ovens	78
Gas cookers with oven	08	Ovens	80
Electric cookers	12	Accessories	80
Electric cookers with oven	14	Bases	81
Induction/ceramic cookers	18	Freestanding appliances	82
Cookers with hotplate	21	Combination oven	83
Gas fryers	22	Electric boiling pans	84
Electric fryers	24	Induction bratt pan	84
French fry warmers	26	Tilting bratt pans	85
Pasta and dumpling cookers	28	Stools	88
Bain-maries	28	Heating bain-maries	90
Gas grill plates	30	Refrigerated bases	91
Electric grill plates	32	Fast Food line	93
Barbecue grills	34	Stainless steel roller grills	94
Boiling pans	36	Teflon roller grills	96
Tilting bratt pans	38	Salamander	97
Neutral elements	40	Hot plate	97
Open bases	41	Contact grill	97
Cabinet bases	42	Sales department	99
Doors	43		
Drawers	43		
Accessories	44		
Compact 700 line	46		
Gas cookers	48		
Gas cookers with oven	50		
Electric cookers	52		
Induction cookers	55		
Fryers	55		
900 line	57		
Gas cookers	59		
Gas / electric cookers with oven	61		
Electric cookers	62		
Induction cookers	64		
Fryers	65		
Boiling pans	66		
Tilting bratt pans	71		
Open bases	73		
Cabinet bases	73		
Doors	73		

We invite you to explore our product offer in the interactive Kromet catalogue. Click on the selected product and check it out on our website, where you can read the description, download documentation, and contact our representative.

All rights reserved, unauthorised use is prohibited. Product photos are for illustrative purposes only. Products may differ slightly from those shown in the photos. All product prices are net prices.



65 years of experience

Kromet is a manufacturer of catering equipment and kitchen appliances of the highest quality!

Many years of activity, experience, new designs and manufacturing technologies ensure that we are gaining more and more customers. All products offered by the company are made of certified stainless steel, in accordance with the requirements of European Union directives, and have the CE and GOST marks, and for those devices - where necessary - also certificates from the Oil and Gas Institute, the Technical Inspection Authority and the State Food Institute. The high quality of our products is also ensured by the control system that has been in place in the company for many years. Our products have won numerous awards at national and international trade fairs.




Prestigious award:
European Medal 2015 for monoblock

VISION

We want to be a role model for others and create the latest trends in the industry.

Our vision is to introduce innovative, even more durable solutions, and to continuously improve and expand the range of products we offer.



MISSION

To provide all our customers with a wide range of products of the highest quality,

with improved performance and energy efficiency, as well as the ability to maintain high hygiene standards. We work to ensure the best cooking results

Kromet[®]

**Line
700**

700 SERIES

GAS COOKERS

'Antikap' system ensuring clean knobs.



Perfectly matched burner positions and power.



1.5 mm thick stainless steel top plate



Maximised burner efficiency and reduced energy loss.



Powerful double crown burners - 7.5 kW



Large ergonomic knobs with safety ring



Reduction plate for WOK pan grate



Accessories

- Smooth grill plate
- Grooved grill plate
- Wok attachment



000.NGG-1



000.NGR-1



700.WOK-1

700 SERIES


GAS COOKERS



700.KG-2

2-burner gas boiling top on open base

Ø 128 mm / 7,5 kW



Ø 104 mm / 4,5 kW

Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-2	400x700x280	2	12 kW	€ 1 245
700.KG-2.T	400x700x900	2	12 kW	€ 1 620
700.KG-2.S	400x700x900	2	12 kW	€ 1 620
700.KG-2.S.D	400x700x900	2	12 kW	€ 1 735



700.KG-2.T



700.KG-2.S




700.KG-2.S.D



700.KG-4

4-burner gas boiling top on open base

Ø 128 mm / 7,5 kW



Ø 104 mm / 4,5 kW

Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-4	800x700x280	4	24 kW	€ 2 030
700.KG-4.T	800x700x900	4	24 kW	€ 2 455
700.KG-4.S	800x700x900	4	24 kW	€ 2 495
700.KG-4.S.D	800x700x900	4	24 kW	€ 2 725



700.KG-4.T



700.KG-4.S




700.KG-4.S.D



700.KG-6

6-burner gas boiling top on open base

Ø 128 mm / 7,5 kW



Ø 128 mm / 7,5 kW

Ø 104 mm / 4,5 kW

Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-6	1200x700x280	6	36 kW	€ 2 820
700.KG-6.T	1200x700x900	6	36 kW	€ 3 295
700.KG-6.S	1200x700x900	6	36 kW	€ 3 295
700.KG-6.S.D	1200x700x900	6	36 kW	€ 3 555



700.KG-6.T




700.KG-6.S



700.KG-6.S.D

700 SERIES

GAS COOKERS with OVEN



Thermally insulated doors ensure perfectly even baking



Accurate sensor inside the chamber



Cool-touch handle for comfortable use



Accessories

- Smooth grill plate
- Grooved grill plate
- Wok attachment



000.NGG-1



000.NGR-1



700.WOK-1

* at extra charge

**Can be changed to glass doors at extra charge.


LINE 700

GAS COOKERS with OVEN



700.KG-4/PE-1

Gas cooker with electric oven




Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-4/PE-1	800x700x900	4	24 kW	€ 4 040

Electric oven
 Power: 3.5 kW
 Heating: top, bottom, top/bottom
 Temperature range: 50° - 250°C
 Chamber dimensions: 575 x 450 x 316 mm
 GN: GN 1/1



700.KG-4/PE-2

Gas cooker with electric oven




Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-4/PE-2	800x700x900	4	24 kW	€ 4 285

Electric oven
 Power: 6.5 kW
 Heating: top, bottom, top/bottom
 Temperature range: 50° - 250°C
 Chamber dimensions: 695 x 550 x 310 mm
 GN: GN 2/1



700.KG-6/PE-2/SD

Gas cooker with electric oven on cabinet with doors



Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-6/PE-2/SD	1200x700x900	6	36 kW	€ 5 565

Electric oven
 Power: 6.5 kW
 Heating: top, bottom, top/bottom
 Temperature range: 50° - 250°C
 Chamber dimensions: 695 x 550 x 310 mm
 GN: GN 2/1


700 LINE

GAS COOKERS with OVEN



700.KG-6/PE-3

Gas cooker with electric oven, module 3xGN 1/1




Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-6/PE-3	1200x700x900	6	36 kW	€ 6 285

Electric oven
 Power: 8.4 kW
 Heating: top, bottom, top/bottom
 Temperature range: 50° - 250°C
 Chamber dimensions: 1080 x 560 x 360 mm
 GN: 3 x GN 1/1



700.KG-4/PE-1T

Gas cooker with electric oven with convection




Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-4/PE-1T	800x700x900	4	24 kW	€ 4 385

Electric oven
 Power: 3.5 kW
 Heating: top, bottom, top/bottom
 Temperature range: 50° - 300°C
 Fan: Yes
 Chamber dimensions: 575 x 450 x 316 mm
 GN: GN 1/1



700.KG-6/PE-1T/SD

Gas cooker with electric oven with convection



Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-6/PE-1T/SD	1200x700x900	6	36 kW	€ 5 670

Electric oven
 Power: 3.5 kW
 Heating: top, bottom, top/bottom
 Temperature range: 50° - 300°C
 Fan: Yes
 Chamber dimensions: 575 x 450 x 316 mm
 GN: GN 1/1


LINE 700

GAS COOKERS WITH OVEN



700.KG-4/PG-1

Gas cooker with gas oven




Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-4/PG-1	800x700x900	4	24 kW	€ 4 030

Gas oven
 Power: 4.5 kW
 Oven temperature range: 150° - 300°C
 Chamber dimensions: 575 x 450 x 316 mm
 GN: GN 1/1



700.KG-4/PG-2

Gas cooker with gas oven




Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-4/PG-2	800x700x900	4	24 kW	€ 4 385

Gas oven
 Power: 5.5 kW
 Oven temperature range: 150° - 300°C
 Chamber dimensions: 695 x 550 x 310 mm
 GN: GN 2/1



700.KG-6/PG-2/SD

Gas cooker with gas oven on cabinet with doors




Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG-6/PG-2/SD	1200x700x900	6	36 kW	€ 5 670

Gas oven
 Power: 5.5 kW
 Oven temperature range: 150° - 300°C
 Chamber dimensions: 695 x 550 x 310 mm
 GN: GN 2/1

700 SERIES

ELECTRIC COOKERS



Six-step power adjustment



Front profiling for clean knobs

Accessories

- Reduction cover



700.NES-2

LINE 700


ELECTRIC COOKERS



700.KE-2

Electric cooker, 2 round hotplates

Ø 220 mm / 2.6 kW



Ø 220 mm / 2.6 kW

Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
700.KE-2	400x700x280	2	5,2 kW	€ 975
700.KE-2.T	400x700x900	2	5,2 kW	€ 1 350
700.KE-2.S	400x700x900	2	5,2 kW	€ 1 350
700.KE-2.S.D	400x700x900	2	5,2 kW	€ 1 465



700.KE-2.T



700.KE-2.S




700.KE-2.S.D



700.KE-4

Electric cooker, 4 round hotplates

Ø 220 mm / 2.6 kW



Ø 220 mm / 2.6 kW

Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
700.KE-4	800x700x280	4	10,4 kW	€ 1 490
700.KE-4.T	800x700x900	4	10,4 kW	€ 1 915
700.KE-4.S	800x700x900	4	10,4 kW	€ 1 955
700.KE-4.S.D	800x700x900	4	10,4 kW	€ 2 185



700.KE-4.T



700.KE-4.S




700.KE-4.S.D



700.KE-6

Electric cooker, 6 round hotplates

Ø 220 mm / 2.6 kW



Ø 220 mm / 2.6 kW

Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
700.KE-6	1200x700x280	6	15,6 kW	€ 1 950
700.KE-6.T	1200x700x900	6	15,6 kW	€ 2 425
700.KE-6.S	1200x700x900	6	15,6 kW	€ 2 425
700.KE-6.S.D	1200x700x900	6	15,6 kW	€ 2 685



700.KG-6.T




700.KG-6.S



700.KG-6.S.D

700 SERIES

ELECTRIC COOKERS WITH OVEN



Thermally insulated door ensures perfectly even baking



Accurate sensor inside the chamber



Cool-touch handle for comfortable use

Accessories

- Reduction cover



700.NES-2

Glass doors available at extra charge.

LINE 700


ELECTRIC COOKERS WITH OVEN



700.KE-4/PE-1

Electric cooker with electric oven

Ø 220 mm / 2.6 kW



Ø 220 mm / 2.6 kW

Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
700.KE-4/PE-1	800x700x900	4	10,4 kW	€ 3 520


Electric oven
 Power: 3.5 kW
 Heating: top, bottom, top/bottom
 Temperature range: 50° - 250°C
 Chamber dimensions: 575 x 450 x 316 mm
 GN: GN 1/1



700.KE-4/PE-2

Electric cooker with electric oven

Ø 220 mm / 2.6 kW



Ø 220 mm / 2.6 kW

Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
700.KE-4/PE-2	800x700x900	4	10,4 kW	€ 3 795


Electric oven
 Power: 6.5 kW
 Heating: top, bottom, top/bottom
 Temperature range: 50° - 250°C
 Chamber dimensions: 695 x 550 x 310 mm
 GN: GN 2/1



700.KE-6/PE-2/SD

Electric cooker with electric oven on cabinet with door

Ø 220 mm / 2.6 kW



Ø 220 mm / 2.6 kW

Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
700.KE-6/PE-2/SD	1200x700x900	6	15,6 kW	€ 4 745

Electric oven
 Power: 6.5 kW
 Heating: top, bottom, top/bottom
 Temperature range: 50° - 250°C
 Chamber dimensions: 695 x 550 x 310 mm
 GN: GN 2/1


700 SERIES

ELECTRIC HOBS WITH OVEN



700.KE-6/PE-1T/SD

Electric cooker
with electric oven
with convection




Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
700.KE-6/PE-1T/SD	1200x700x900	6	15,6 kW	€ 4 825

Electric oven
Power: 3,5 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 300°C
Chamber dimensions: 575 x 450 x 316 mm
GN: GN 1/1



700.KE-6/PE-3

Electric hob with
electric oven, module
3xGN 1/1




Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
700.KE-6/PE-3	1200x700x900	6	15,6 kW	€ 5 745

Electric oven
Power: 8,4 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 250°C
Chamber dimensions: 1080 x 560 x 360 mm
GN: 3 x GN 1/1



700.KE-4C/PE-1

Electric ceramic hob with
electric oven




Model	Dimensions (mm)	Heating zones	Power (kW)	Net price
700.KE-4C/PE-1	800x700x900	4	12,1 kW	€ 5 899

Electric oven
Power: 3,5 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 250°C
Chamber dimensions: 575 x 450 x 316 mm
GN: GN 1/1



700.KE-4C/PE-2

Electric ceramic cooker with electric oven




Model	Dimensions (mm)	Heating zones	Power (kW)	Net price
700.KE-4C/PE-2	800x700x900	4	12,1 kW	€ 6 155

Electric oven
 Power: 6,5 kW
 Heating: top, bottom, top/bottom
 Temperature range: 50° - 250°C
 Chamber dimensions: 695 x 550 x 310 mm
 GN: GN 2/1



700.KE-4/PE-1T

Electric cooker with electric oven with convection heating



Model	Dimensions (mm)	Heating zones	Power (kW)	Net price
700.KE-4/PE-1T	800x700x900	4	10,4 kW	€ 3 850

Electric oven
 Power: 3,5 kW
 Heating: top, bottom, top/bottom
 Fan: Yes
 Temperature range: 50° - 300°C
 Chamber dimensions: 575 x 450 x 316 mm
 GN: GN 1/1

700 SERIES

INDUCTION / CERAMIC HOBS

Energy savings of up to 50%

Efficiency of up to 90%



Ceramic version



- Smooth surface
- Easy cleaning
- Pot presence control



Illustrative photo. Visualisation of induction heating

700 SERIES


INDUCTION / CERAMIC COOKERS



700.KE-2i

2-burner induction hob

Ø 220 mm / 3,5 kW



Ø 220 mm / 3,5 kW

Model	Dimensions (mm)	Heating zones	Power (kW)	Net price
700.KE-2i/400	400x700x280	2	7 kW	€ 5 670
700.KE-2i/400.T	400x700x900	2	7 kW	€ 6 045
700.KE-2i/400.S	400x700x900	2	7 kW	€ 6 045
700.KE-2i/400.S.D	400x700x900	2	7 kW	€ 6 160



700.KE-2i/400.T



700.KE-2i/400.S




700.KE-2i/400.S.D



700.KE-4i/800

4-burner induction cooker

Ø 220 mm 3,5 kW



Ø 220 mm 3,5 kW

Model	Dimensions (mm)	Heating zones	Power (kW)	Net price
700.KE-4i/800	800x700x280	4	14 kW	€ 11 290
700.KE-4i/800.T	800x700x900	4	14 kW	€ 11 715
700.KE-4i/800.S	800x700x900	4	14 kW	€ 11 755
700.KE-4i/800.S.D	800x700x900	4	14 kW	€ 11 985



700.KE-4i/800.T



700.KE-4i/800.S




700.KE-4i/800.S.D

LINE 700

INDUCTION / CERAMIC HOBS



4-ring ceramic hob



700.KE-4C



700.KE-4C.T



700.KE-4C.S



700.KE-4C.S.D

Model	Dimensions (mm)	Heating zones	Power (kW)	Net price
700.KE-4C	800x700x280	4	12.1 kW	€ 3 899
700.KE-4C.T	800x700x900	4	12.1 kW	€ 4 324
700.KE-4C.S	800x700x900	4	12.1 kW	€ 4 364
700.KE-4C.S.D	800x700x900	4	12.1 kW	€ 4 594



LINE 700

HEATING PLATES



700.KG/I-400

Chrome-plated gas heating plate 400 mm

Ø 104 mm / 4.5 kW



Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG/I-400	400x700x280	1	4.5 kW	€ 2 020
700.KG/I-400.T	400x700x900	1	4.5 kW	€ 2 395
700.KG/I-400.S	400x700x900	1	4.5 kW	€ 2 395
700.KG/I-400.S.D	400x700x900	1	4.5 kW	€ 2 510



700.KG/I-400.T



700.KG/I-400.S




700.KG/I-400.S.D



700.KG/I-800

Chrome-plated gas heating plate 800 mm

Ø 128 mm / 9 kW



Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG/I-800	800x700x280	1	9 kW	€ 2 825
700.KG/I-800.T	800x700x900	1	9 kW	€ 3 250
700.KG/I-800.S	800x700x900	1	9 kW	€ 3 290
700.KG/I-800.S.D	800x700x900	1	9 kW	€ 3 520



700.KG/I-800.T



700.KG/I-800.S




700.KG/I-800.S.D



700.KG/I-800/PE-2

Chrome-plated heating plate 800 mm with electric / gas oven

Ø 128 mm / 9 kW




Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.KG/I-800/PE-2	800x700x900	1	9 kW	€ 5 130
700.KG/I-800/PG-2	800x700x900	1	9 kW	€ 5 260

700.KG/I-800/PE-2
Electric oven
Power: 6.5 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 250°C
Chamber dimensions: 695 x 550 x 310 mm
GN: GN 2/1

700.KG/I-800/PG-2
Gas oven
Power: 5.5 kW
Temperature range: 150° - 300°C
Chamber dimensions: 695 x 550 x 310 mm
GN: GN 2/1

700 SERIES

GAS FRYERS



700 SERIES

GAS FRYERS




700.FG-15f

Gas fryer 1 x 15 l
on a closed cabinet base

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
700.FG-15f	400x700x900	15 dm ³	12,7 kW	€ 2 720

700 LINE

ELECTRIC DEEP FRYERS



700 SERIES

ELECTRIC FRYERS



700.FE-2x15f



700.FE-15f

Electric fryer 1 x 15l Electric fryer 2 x 15l

Model	Dimensions (mm)	Power (kW)	Net price
700.FE-15f	400x700x900	15 kW	€ 2 615
700.FE-2x15f	800x700x900	30 kW	€ 4 335



700.FE-10f



700.FE-10f.T



700.FE-10f.S



700.FE-10f.S.D

Electric deep fryer 1 x 8l

Model	Dimensions (mm)	Power (kW)	Net price
700.FE-10f	400x700x280	8 kW	€ 2 080
700.FE-10f.T	400x700x900	8 kW	€ 2 455
700.FE-10f.S	400x700x900	8 kW	€ 2 455
700.FE-10f.S.D	400x700x900	8 kW	€ 2 570



700.FE-2x10f



700.FE-2x10f.T



700.FE-2x10f.S



700.FE-2x10f.S.D

Electric fryer 2 x 8l

Model	Dimensions (mm)	Power (kW)	Net price
700.FE-2x10f	800x700x280	16 kW	€ 3 235
700.FE-2x10f.T	800x700x900	16 kW	€ 3 660
700.FE-2x10f.S	800x700x900	16 kW	€ 3 700
700.FE-2x10f.S.D	800x700x900	16 kW	€ 3 930

LINE 700

FRITES HEATERS



All stainless steel



700.PF-1p

French fry warmer with IR radiator

Model	Dimensions (mm)	Power (kW)	Net price
700.PF-1p	400x700x280	1,35 kW	€ 1 670
700.PF-1p.T	400x700x900	1,35 kW	€ 2 045
700.PF-1p.S	400x700x900	1,35 kW	€ 2 045
700.PF-1p.S.D	400x700x900	1,35 kW	€ 2 160



700.PF-1p.T



700.PF-1p.S



700.PF-1p.S.D



700.PF-1

French fry warmer

Model	Dimensions (mm)	Power (kW)	Net price
700.PF-1	400x700x280	0,7 kW	€ 1 440
700.PF-1.T	400x700x900	0,7 kW	€ 1 815
700.PF-1.S	400x700x900	0,7 kW	€ 1 815
700.PF-1.S.D	400x700x900	0,7 kW	€ 1 930



700.PF-1.T



700.PF-1.S



700.PF-1.S.D

LINE 700

PASTA AND DUMPLING COOKER



Accessories

- Pasta cooker container 1/3 GN
- Pasta cooker container 1/6 GN



CCB601



CCB602



700.EUS-400.S.D

Pasta and dumpling cooker with drainer and two baskets on a closed cabinet base

Model	Dimensions (mm)	Power (kW)	Net price
700.EUS-400.S.D	400x700x900	6 kW	€ 2 310

700 SERIES

BEMAR



700.BE-1



700.BE-1.T



700.BE-1.S



700.BE-1.S.D

Electric bain-marie

Model	Dimensions (mm)	Power (kW)	Net price
700.BE-1	400x700x280	0,7 kW	€ 1 285
700.BE-1.T	400x700x900	0,7 kW	€ 1 660
700.BE-1.S	400x700x900	0,7 kW	€ 1 660
700.BE-1.S.D	400x700x900	0,7 kW	€ 1 775

700 SERIES

GAS / ELECTRIC GRILL PLATES



700 LINE

GAS GRILL PLATES



700.PBG-400G

Smooth chrome gas grill plate 400 mm
on a closed cabinet base

Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.PBG-400G	400x700x900	1	5,5 kW	€ 2 975



700.PBG-400R

Chrome-plated grooved
gas grill plate, 400 mm,
on a closed cabinet base

Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.PBG-400R	400x700x900	1	5,5 kW	€ 3 055

700 SERIES

ELECTRIC GRILL PLATES



700.PBE-400G

Smooth chrome-plated grill plate 400 mm

Model	Dimensions (mm)	Working area (mm)	Power (kW)	Net price
700.PBE-400G	400x700x280	396 x 560	4,8 kW	€ 2 055
700.PBE-400G.T	400x700x900	396 x 560	4,8 kW	€ 2 430
700.PBE-400G.S	400x700x900	396 x 560	4,8 kW	€ 2 430
700.PBE-400G.S.D	400x700x900	396 x 560	4,8 kW	€ 2 545



700.PBE-400G.T



700.PBE-400G.S



700.PBE-400G.S.D



700.PBE-400R

Chrome-plated ribbed grill plate 400 mm

Model	Dimensions (mm)	Working area (mm)	Power (kW)	Net price
700.PBE-400R	400x700x280	396 x 560	4,8 kW	€ 2 130
700.PBE-400R.T	400x700x900	396 x 560	4,8 kW	€ 2 505
700.PBE-400R.S	400x700x900	396 x 560	4,8 kW	€ 2 505
700.PBE-400R.S.D	400x700x900	396 x 560	4,8 kW	€ 2 620



700.PBE-400R.T



700.PBE-400R.S



700.PBE-400R.S.D



700.PBE-600G

Smooth grill plate 600 mm

Model	Dimensions (mm)	Working area (mm)	Power (kW)	Net price
700.PBE-600G	600x700x280	596 x 560	8 kW	€ 2 780
700.PBE-600G.T	600x700x900	596 x 560	8 kW	€ 3 180
700.PBE-600G.S	600x700x900	596 x 560	8 kW	€ 3 180
700.PBE-600G.S.D	600x700x900	596 x 560	8 kW	€ 3 440



700.PBE-600G.T



700.PBE-600G.S



700.PBE-600G.S.D

LINE 700

ELECTRIC GRILL PLATES



700.PBE-600GR

Grill plate 1/2 head + 1/2 ribbed,
chrome-plated, 600 mm

Model	Dimensions (mm)	Working area (mm)	Power (kW)	Net price
700.PBE-600GR	600x700x280	596 x 560	8 kW	€ 2 899
700.PBE-600GR.T	600x700x900	596 x 560	8 kW	€ 3 299
700.PBE-600GR.S	600x700x900	596 x 560	8 kW	€ 3 299
700.PBE-600GR.S.D	600x700x900	596 x 560	8 kW	€ 3 429



700.PBE-600GR.T



700.PBE-600GR.S



700.PBE-600GR.S.D



700.PBE-800GR

Grill plate 1/2 flat + 1/2 ribbed,
chrome-plated, 800 mm

Model	Dimensions (mm)	Working area (mm)	Power (kW)	Net price
700.PBE-800GR	800x700x280	796 x 560	9,6 kW	€ 3 110
700.PBE-800GR.T	800x700x900	796 x 560	9,6 kW	€ 3 535
700.PBE-800GR.S	800x700x900	796 x 560	9,6 kW	€ 3 575
700.PBE-800GR.S.D	800x700x900	796 x 560	9,6 kW	€ 3 805



700.PBE-800GR.T



700.PBE-800GR.S



700.PBE-800GR.S.D



700.PBE-800G

Smooth chrome-plated
grill plate 800 mm

Model	Dimensions (mm)	Working area (mm)	Power (kW)	Net price
700.PBE-800G	800x700x280	796 x 560	9,6 kW	€ 2 975
700.PBE-800G.T	800x700x900	796 x 560	9,6 kW	€ 3 400
700.PBE-800G.S	800x700x900	796 x 560	9,6 kW	€ 3 440
700.PBE-800G.S.D	800x700x900	796 x 560	9,6 kW	€ 3 670



700.PBE-800G.T




700.PBE-800G.S



700.PBE-800G.S.D

700 SERIES

LAVA GRILLS





700.OGL-400

Lava grill 400 mm

Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.OGL-400	400x700x280	1	7 kW	€ 1 825
700.OGL-400.T	400x700x900	1	7 kW	€ 2 200
700.OGL-400.S	400x700x900	1	7 kW	€ 2 200
700.OGL-400.S.D	400x700x900	1	7 kW	€ 2 315



700.OGL-400.T



700.OGL-400.S



700.OGL-400.S.D



700.OGL-800

Lava grill 800 mm

Model	Dimensions (mm)	Burners	Power (kW)	Net price
700.OGL-800	800x700x280	2	14 kW	€ 2 899
700.OGL-800.T	800x700x900	2	14 kW	€ 3 324
700.OGL-800.S	800x700x900	2	14 kW	€ 3 364
700.OGL-800.S.D	800x700x900	2	14 kW	€ 3 594



700.OGL-800.T




700.OGL-800.S



700.OGL-800.S.D

LINE 700

BOILING PANS



700.BEK-80AN

80 l electric intermediate boiling kettle with automatic filling

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
700.BEK-80AN	800x700x900	80 dm ³	12,5 kW	€ 6 515

*applies to model 700.BEK-80AN

700 SERIES

BOILING PANS



700.BEK-80

Electric indirect boiling pan 80l

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
700.BEK-80	800x700x900	80 dm ³	12,5 kW	€ 5 645



700.BGK-80

Gas-fired indirect boiling pan 80l

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
700.BGK-80	800x700x900	80 dm ³	16 kW	€ 6 205



700.BGK-80AN

Gas-fired indirect boiling pan with automatic filling

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
700.BGK-80AN	800x700x900	80 dm ³	16 kW	€ 6 720

LINE 700

TILTING BRATT PANS



LINE 700

TILTING FRYERS



700.PTG-03

Tilting gas pan 50l

Model	Dimensions (mm)	Cap.	Power (kW)	Net price
700.PTG-03	800x700x900	50 dm ³	10 kW	€ 5 080



700.PE-03

Tilting electric pan 50l

Model	Dimensions (mm)	Cap.	Power (kW)	Net price
700.PE-03	800x700x900	50 dm ³	9 kW	€ 4 485

LINE 700

NEUTRAL ELEMENTS



700.SR-200



700.SR-400

Neutral element 200 mm

Model	Dimensions (mm)	Net price
700.SR-200	200x700x280	€ 335

Neutral element 400 mm

Model	Dimensions (mm)	Net price
700.SR-400	400x700x280	€ 425



700.SR-600



700.SR-800

Neutral element 600mm

Model	Dimensions (mm)	Net price
700.SR-600	600x700x280	€ 450

Neutral element 800mm

Model	Dimensions (mm)	Net price
700.SR-800	800x700x280	€ 490

LINE 700

OPEN BASES



700.T-200

Open base 200 mm

Model	Dimensions (mm)	Net price
700.T-200	200x566x620	€ 245



700.T-400

Open base 400 mm

Model	Dimensions (mm)	Net price
700.T-400	400x566x620	€ 375



700.T-600

Open base 600 mm

Model	Dimensions (mm)	Net price
700.T-600	600x566x620	€ 400



700.T-800

Open base 800mm

Model	Dimensions (mm)	Net price
700.T-800	800x566x620	€ 425



700.T-1200

Open base 1200mm

Model	Dimensions (mm)	Net price
700.T-1200	1200x566x620	€ 475

LINE 700

CABINET BASE



700.S-400

Cabinet base 400mm

Model	Dimensions (mm)	Net price
700.S-400	400x566x620	€ 375



700.S-600

Cabinet base 600mm

Model	Dimensions (mm)	Net price
700.S-600	600x566x620	€ 400



700.S-800

Cabinet base 800mm

Model	Dimensions (mm)	Net price
700.S-800	800x566x620	€ 465



700.S-1200

Cabinet base 1200 mm

Model	Dimensions (mm)	Net price
700.S-1200	1200x566x620	€ 475

LINE 700

DOORS / DRAWERS



700.D-400



700.D-600

Door 400 mm

Model	Dimensions (mm)	Net price
700.D-400	394x30x444	€ 115

Door 600 mm

Model	Dimensions (mm)	Net price
700.D-600	594x30x444	€ 130



700.Z-400



700.Z-600

Drawer 400 mm

Model	Dimensions (mm)	Net price
700.Z-400	390x560x215	€ 180

Drawer 600 mm

Model	Dimensions (mm)	Net price
700.Z-600	590x560x215	€ 205

LINE 700

ACCESSORIES



000.NGG-1

Smooth cover for gas cookers

Model	Dimensions (mm)	Net price
000.NGG-1	320x539x100	Ask for the price



000.NGR-1

Ribbed cover for gas cookers

Model	Dimensions (mm)	Net price
000.NGR-1	320x539x100	Ask for the price



700.NRG-1

Reduction cover for gas cookers

Model	Dimensions (mm)	Net price
700.NRG-1	140x140x18	Ask for the price



700.NES-2

Reduction cover for electric cooker

Model	Dimensions (mm)	Net price
700.NES-2	291x551x22	Ask for the price



700.WOK-1

Reduction cover for WOK pan grate

Model	Dimensions (mm)	Net price
000.WOK-1	Ø 250 x 75	Ask for the price



CCB601

Container for pasta maker 1/3 GN

Model	Dimensions (mm)	Net price
CCB601	160x290x215	Ask for the price



CCB602

Container for pasta maker 1/6 GN

Model	Dimensions (mm)	Net price
CCB602	140x140x215	Ask for the price



CFC536

Basket for electric fryers

Model	Dimensions (mm)	Net price
CFC536	210x280x90	Ask for the price



7AD182

Basket for gas fryers

Model	Dimensions (mm)	Net price
7AD182	275x300x120	Ask for the price

Compact line 700

COMPACT 700 LINE

GAS COOKERS

Professional Kromet gas cookers, reliable and easy to use.



COMPACT 700 LINE


GAS COOKERS



000.KG-2M

2-burner gas boiling top on open base

128 mm / 7.5 kW



104 mm / 4.5 kW

Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.KG-2M	400x700x850	2	12 kW	€ 1 145




000.KG-4M

4-burner gas boiling top on open base

128 mm / 7.5 kW

104 mm / 4.5 kW



104 mm / 4.5 kW

128 mm / 7.5 kW

Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.KG-4M	800x700x850	4	24 kW	€ 1 745




000.KG-6M

6-burner gas boiling top on open base

Ø 128 mm / 7.5 kW

Ø 104 mm / 4.5 kW



Ø 128 mm / 7.5 kW

Ø 104 mm / 4.5 kW

Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.KG-6M	1200x700x850	6	36 kW	€ 2 385

COMPACT 700 LINE

GAS COOKERS WITH OVEN



Thermally insulated doors ensure perfectly even baking



Cool-touch handle for comfortable use


COMPACT 700 LINE

GAS COOKERS WITH OVEN



000.KG-4s/PG-2

Gas cooker with gas oven



Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.KG-4s/PG-1	800x700x900	4	17,5 kW	€ 3 465
000.KG-4s/PG-2	800x700x900	4	18,5 kW	€ 3 825


000.KG-4s/PG-1
Gas oven
Power: 4.5 kW
Temperature range: 150° - 300°C
Chamber dimensions: 575 x 450 x 316 mm
GN: 2 x GN 1/1

000.KG-4s/PG-2
Gas oven
Power: 5.5 kW
Temperature range: 150° - 300°C
Chamber dimensions: 695 x 550 x 310 mm
GN: 2 x GN 2/1



000.KG-4s/PE-2

Gas cooker with electric oven



Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.KG-4s/PE-1	800x700x900	4	13 kW	€ 3 465
000.KG-4s/PE-2	800x700x900	4	13 kW	€ 3 720
000.KG-4s/PE-1T	800x700x900	4	13 kW	€ 3 820

000.KG-4s/PE-1
Electric oven
Power: 3.5 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 250°C
Chamber dimensions: 575 x 450 x 316 mm
GN: 2 x GN 1/1

000.KG-4s/PE-2
Electric oven
Power: 6.5 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 250°C
Chamber dimensions: 695 x 550 x 310 mm
GN: 2 x GN 2/1

000.KG-4s/PE-1T
Electric oven with convection
Power: 3.5 kW
Heating: top, bottom, top/bottom
Temperature range: 50° - 300°C
Chamber dimensions: 575 x 450 x 316 mm
GN: 2 x GN 2/1

COMPACT 700 LINE

ELECTRIC COOKERS



Large uniform hob surface allows multiple dishes to be heated simultaneously. The entire hob surface ensures even temperature distribution.



COMPACT 700 LINE


ELECTRIC COOKERS



000.KE-2M

2-ring electric cooker with round hob on open base

Ø 220 mm / 2.6 kW



Ø 220 mm / 2.6 kW


Model	Dimensions (mm)	Heating lates	Power (kW)	Net price
000.KE-2M	400x700x850	2	5,2 kW	€ 835



000.KE-4M

4-ring electric cooker with round hob on open base

220 mm / 2.6 kW



220 mm / 2.6 kW
180 mm / 2.0 kW


Model	Dimensions (mm)	Heating lates	Power (kW)	Net price
000.KE-4M	800x700x850	4	9,8 kW	€ 1 235



000.KE-6M

6-ring electric cooker with round hob on open base

220 mm / 2.6 kW



220 mm / 2.6 kW
180 mm / 2.0 kW

Model	Dimensions (mm)	Heating lates	Power (kW)	Net price
000.KE-6M	1200x700x850	6	14,4 kW	€ 1 590


COMPACT 700 LINE

ELECTRIC COOKERS



000.KEZ-4u

4-ring square electric hob




Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
000.KEZ-4u	800x800x230	4	16 kW	€ 3 055



000.KEZ-4u.T

4-ring square electric hob on an open base




Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
000.KEZ-4u.T	800x800x850	4	16 kW	€ 3 415



000.KEZ-4u.S

4-ring square electric hob on an open cabinet base



Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
000.KEZ-4u.S	800x800x850	4	16 kW	€ 3 520

COMPACT 700 LINE


ELECTRIC COOKERS



000.KEZ-4u.S

4-ring square
electric hob on
a closed cabinet base

300x300mm / 4.0 kW



300x300mm / 4.0 kW

Model	Dimensions (mm)	Heating plates	Power (kW)	Net price
000.KEZ-4u.S.D	800x800x850	4	16 kW	€ 3 750

INDUCTION COOKERS



000.KE-2i

2-zone induction
cooker

Model	Dimensions (mm)	Heating zones	Power (kW)	Net price
000.KE-2i	400x700x280	2	4,2 kW	€ 1 925

DEEP FRYERS



000.FE-10f


Electric deep fryer, 8 l

Model	Dimensions (mm)	Power (kW)	Net price
000.FE-10f	400x700x280	8 kW	€ 1 500

**Line
900**

900 SERIES

GAS COOKERS



Powerful double crown burners - 9.0 kW



Large ergonomic knobs with safety ring



Reduction plate for WOK pan grate



Accessories

- Smooth grill plate
- Grooved grill plate
- Wok pan



000.NGG-1



000.NGR-1



700.WOK-1

* for an additional charge of PLN 300 / 1 burner

LINE 900

GAS COOKERS



900.KG-4



900.KG-4.T




900.KG-4.S



900.KG-4.S.D

4-burner gas boiling top on open base



Model	Dimensions (mm)	Burners	Power (kW)	Net price
900.KG-4	900x900x280	4	30 kW	€ 2 310
900.KG-4.T	900x900x900	4	30 kW	€ 2 980
900.KG-4.S	900x900x900	4	30 kW	€ 2 980
900.KG-4.S.D	900x900x900	4	30 kW	€ 3 320



900.KG-6



900.KG-6.T




900.KG-6.S



900.KG-6.S.D

6-burner gas boiling top on open base



Model	Dimensions (mm)	Burners	Power (kW)	Net price
900.KG-6	1350x900x280	6	42 kW	€ 2 950
900.KG-6.T	1350x900x900	6	42 kW	€ 3 670
900.KG-6.S	1350x900x900	6	42 kW	€ 3 670
900.KG-6.S.D	1350x900x900	6	42 kW	€ 4 180

900 LINE

COOKERS WITH ELECTRIC OVEN



Powerful double-ring burners - 9,0 kW



Large ergonomic knobs with safety ring



Reduction plate for WOK pan



Accessories

- Smooth grill plate
- Grooved grill plate
- Wok attachment



000.NGG-1



000.NGR-1



700.WOK-1

* for an additional charge of PLN 300 / 1 burner

LINE 900


COOKERS WITH ELECTRIC OVEN



900.KE-4/PE-1T

Electric cooker
with electric oven
with convection

301x301 mm / 4.0 kW



301x301 mm / 4.0 kW

Model	Dimensions (mm)	Heating lates	Power (kW)	Net price
900.KE-4/PE-1T	900x900x900	4	16 kW	€ 4 780

Electric oven
Power: 7.0 kW
Fan: Yes
Heating: top, bottom, top/bottom
Temperature range: 50° - 250°C
Chamber dimensions: 535 x 650 x 360 mm
GN: GN 2/1

900 LINE

ELECTRIC COOKERS



1.5 mm thick stainless steel top plate

Square hot plates 300x300mm



Large ergonomic knobs with safety ring

Embossed top plate for easy cleaning



Six-step power adjustment



Front profiling for clean knobs

LINE 900


ELECTRIC COOKERS



900.KE-4

Electric cooker
with 4 hotplates

301x301 mm / 4.0 kW



301x301 mm / 4.0 kW



900.KE-4.T



900.KE-4.S




900.KE-4.S.D

Model	Dimensions (mm)	Heating lates	Power (kW)	Net price
900.KE-4	900x900x280	4	16 kW	€ 2 615
900.KE-4.T	900x900x900	4	16 kW	€ 3 285
900.KE-4.S	900x900x900	4	16 kW	€ 3 285
900.KE-4.S.D	900x900x900	4	16 kW	€ 3 625


900 LINE

INDUCTION COOKERS

Energy savings up to 50%
Efficiency up to 90%




Illustrative photo.
Visualisation of
induction heating



900.KE-4i/900

4-field induction hob

301x301 mm / 5,0 kW



301x301 mm / 5,0 kW



900.KE-4i/900.T


900.KE-4i/900.S

900.KE-4i/900.S.D

Model	Dimensions (mm)	Pola grzewcze	Power (kW)	Net price
900.KE-4i/900	900x900x280	4	20 kW	Ask for the price
900.KE-4i/900.T	900x900x900	4	20 kW	Ask for the price
900.KE-4i/900.S	900x900x900	4	20 kW	Ask for the price
900.KE-4i/900.S.D	900x900x900	4	20 kW	Ask for the price

900 LINE

DEEP FRYERS



High power heaters

Large capacity
Large cold zone




900.FE-18f

Electric deep fryer with cabinet 1 x 23l

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
900.FE-18f	450x900x900	23 dm ³	13,5 kW	€ 3 205

LINE 900

BOILING PANS



*Applies to models 900.BEK-150AN and 900.BEK-200AN



900.BEK-150AN

150 l electric indirect heating boiling pan with automatic filling

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
900.BEK-150AN	900x900x900	150 dm ³	18,5 kW	€ 6 410

Drain valve: 1 1/2" Rated voltage, type of current: 400V 3N- Water connection: G 1/2 Max. working pressure: 0,5 bar Distance of drain valve from the ground: 313 mm



900.BEK-200AN

200 l electric indirect boiling pan with automatic filling

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
900.BEK-200AN	900x900x900	200 dm ³	24,5 kW	€ 7 000

Drain valve: 1 1/2" Rated voltage, current type: 400V 3N- Water connection: G 1/2 Max. operating pressure: 0,5 bar Distance of drain valve from the ground: 245 mm

LINE 900

BOILING PANS



900.BEK-150.2

150 l electric indirect boiling pan

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
900.BEK-150.2	900x900x900	150 dm ³	18,5 kW	€ 5 950

Drain valve: 1 1/2" Rated voltage, current type: 400V 3N- Water connection: G 1/2 Max. working pressure: 0,5 bar Distance of drain valve from the ground: 313 mm



900.BEK-200

Electric indirect boiling kettle 200 l

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
900.BEK-200	900x900x900	200 dm ³	24,5 kW	€ 6 410

Drain valve: 1 1/2" Rated voltage, current type: 400V 3N- Water connection: G 1/2 Max. operating pressure: 0,5 bar Distance of drain valve from the ground: 245 mm

LINE 900

BOILING PANS



900.BGK-150.1

150 l gas-fired indirect brewing kettle

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
900.BGK-150.1	900x900x900	150 dm ³	21kW	€ 6 360

Drain valve: 1 1/2" Rated voltage, current type: 230V ~ Water connection: G 1/2 Max. operating pressure: 0.5 bar Distance of drain valve from the ground: 313 mm



900.BGK-200

200 l indirect gas-fired boiling pan

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
900.BGK-200	900x900x900	200 dm ³	21 kW	€ 6 925

Drain valve: 1 1/2" Rated voltage, type of current: 230V ~ Water connection: G 1/2 Max. working pressure: 0.5 bar Distance of drain valve from the ground: 245 mm

LINE 900

BREWING KETTLES



900.BGK-150AN

150 l gas-fired indirect brewing kettle with automatic filling

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
900.BGK-150AN	900x900x900	150 dm ³	21 kW	€ 6 670

Drain valve: 1 1/2" Rated voltage, type of current: 230V ~ Water connection: G 1/2 Max. operating pressure: 0.5 bar Distance of drain valve from the ground: 245 mm



900.BGK-200AN

200 l gas-fired indirect boiling pan with automatic filling

Model	Dimensions (mm)	Working capacity	Power (kW)	Net price
900.BGK-200AN	900x900x900	200 dm ³	21 kW	€ 7 285

Drain valve: 1 1/2" Rated voltage, current type: 230V ~ Water connection: G 1/2 Max. working pressure: 0.5 bar Distance of drain valve from the ground: 245 mm

LINE 900

TILTING FRYERS



*Additional charge PLN 1000 | **Applies to model 900.PE-05Ex

LINE 900

TILTING BRATT PANS



900.PE-05Ex

Electric pan (automatic tilt) 80 l

Model	Dimensions (mm)	Capacity	Power (kW)	Net price
900.PE-05Ex	900x900x900	80 dm ³	12 kW	€ 5 695

Working surface: 0,5 m²
Bowl dimensions: 775 x 605 x 200 mm
Temperature range: 50-275°C
Rated voltage, type of current: 400V 3N-



900.PE-05Ex

Gas pan (automatic tilt) 80 l

Model	Dimensions (mm)	Capacity	Power (kW)	Net price
900.PTG-05Ex	900x900x900	80 dm ³	18 kW	€ 5 900

Working area: 0,5 m² Bowl dimensions: 775 x 605 x 200 mm Gas connection: R1/2

LINE 900

BASES



900.T-900

Open base 900 mm

Model	Dimensions (mm)	Net price
900.T-900	900x772x620	€ 670



900.T-1350

Open base 1350 mm

Model	Dimensions (mm)	Net price
900.T-1350	1350x772x620	€ 720



900.S-900

Cabinet base 900 mm

Model	Dimensions (mm)	Net price
900.S-900	900x772x620	€ 670



900.S-1350

Cabinet base 1350 mm

Model	Dimensions (mm)	Net price
900.S-1350	1350x772x620	€ 720

LINE 900

DOORS



900.D-450

Door 450 mm

Model	Dimensions (mm)	Net price
900.D-450	440x20x444	€ 170

**Compact line
900**

COMPACT 900 LINE

GAS COOKERS

Professional Kromet gas cookers, reliable and easy to use.



COMPACT 900 LINE


GAS COOKERS



000.KG-2L

2-burner gas boiling top on open base

Ø 128 mm / 7,5 kW



Ø 104 mm / 4,5 kW


Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.KG-2L	450x850x850	2	12 kW	€ 1 080



000.KG-4L

4-burner gas boiling top on open base

Ø 128 mm / 9,0 kW Ø 128 mm / 7,5 kW



Ø 104 mm / 4,5 kW Ø 128 mm / 9,0 kW


Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.KG-4L	900x850x850	4	30 kW	€ 1 825



000.KG-6L

6-burner gas boiling top on open base

Ø 128 mm / 9,0 kW Ø 128 mm / 7,5 kW Ø 104 mm / 4,5 kW



Ø 104 mm / 4,5 kW Ø 128 mm / 7,5 kW Ø 128 mm / 9,0 kW

Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.KG-6L	1350x850x850	6	42 kW	€ 2 515

CONVECTION OVENS

Segmented convection ovens with convection are recommended as basic equipment for small and medium-sized catering establishments as well as large professional kitchens.

Double glass in the door, the use of double glass in the door with a ventilated outer pane ensures a safe temperature on the door housing

Even temperature distribution thanks to proper air circulation ensures the same baking results on all levels



Removable guides, easy to dismantle for cleaning and shaped to ensure correct positioning of the container

Hygienic chamber with rounded edges and corners and a drain at the bottom for easy cleaning of the interior

CONVECTION OVENS

1-chamber convection oven with convection



000.PE-1/T

Model	Dimensions (mm)	Power (kW)	Net price
000.PE-1/T	900x850x640	7 kW	€ 2 720

Temperature range: 50° - 250°C
Chamber dimensions: 535 x 650 x 360 mm
Number of chambers: 1
GN: 3 x GN 2/1



000.PE-2/T

2-chamber convection oven with convection

Model	Dimensions (mm)	Power (kW)	Net price
000.PE-2/T	900x850x1110	14 kW	€ 4 570

Temperature range: 50° - 250°C
Chamber dimensions: 535 x 650 x 360 mm
Number of chambers: 2
GN: 6 x GN 2/1



000.PE-3/T

3-chamber convection oven with convection

Model	Dimensions (mm)	Power (kW)	Net price
000.PE-3/T	900x850x1580	21 kW	€ 6 310

Temperature range: 50° - 250°C
Chamber dimensions: 535 x 650 x 360 mm
Number of chambers: 3
GN: 9 x GN 2/1

OVENS



700.PG-1

Gas oven 2 x GN 1/1

Model	Dimensions (mm)	Power (kW)	Net price
700.PG-1	800x650x650	4,5 kW	€ 2 020

Temperature range: 150° - 300°C
 Chamber dimensions: 575 x 450 x 316 mm
 GN: 2 x GN 1/1



700.PE-1

Electric oven 2 x GN 1/1 * version with convection

Model	Dimensions (mm)	Power (kW)	Net price
700.PE-1	800x650x620	3,5 kW	€ 2 020
700.PE-1T*	800x650x620	3,5 kW	€ 2 360

Temperature range: 50° - 250°C
 Chamber dimensions: 575 x 450 x 316 mm
 GN: 2 x GN 1/1

Glass doors available at extra cost

ACCESSORIES



GN 2/1 grate

Model	Dimensions (mm)	Net price
GAB 001	650x530	€ 65



GN 1/1 grate

Model	Dimensions (mm)	Net price
GAB 002	530x325	€ 40



000.T-PKTP10

Base for RINATO oven, base dimensions

Model	Dimensions (mm)	Net price
000.T-PKTP10	830x700x627	€ 450



000.T-900

Oven base

Model	Dimensions (mm)	Net price
000.T-900	900x870x620	€ 410

Free-standing appliances

COMBINATION OVENS

The PK series combination ovens offered by Kromet are versatile devices that enable thermal processing in safe and hygienic conditions.



RINATO - technologically advanced combination ovens

An oven that meets the needs of modern commercial kitchens. Designed with global standards in mind, it features: versatility of use (from catering to baking), lower operating costs thanks to EasyClean Tech, intuitive operation that minimises .

Model	Dimensions (mm)	Chamber dimensions (mm)	Power (kW)	Net price
000.PKTP-10	915x840x1132	490 x 630 x 780	15,7 kW	€ 7 950
000.PKTP-6	915x840x852	490 x 630 x 500	10,7kW	€ 6 670

Temperature range: 30° - 270°C
Rated voltage: 400V

ELECTRIC BOILING PANS



000.BEK-250AN

Electric boiling pan



Model	Capacity	Dimensions (mm)	Power (kW)	Net price
000.BEK-250AN	250 dm ³	1100x1100x900	32,5 kW	€ 10 130
000.BEK-300AN	300 dm ³	1100x1100x900	32,5 kW	€ 10 515

Drain valve 1 1/2"
Rated voltage: 400V 3N-
Water connection G 1/2"
Max. operating pressure: 0.5 bar

INDUCTION FRYER



000.PE-02i

Induction bratt pan 10 kW



Free-standing appliance designed for professional kitchens.

- Up to 40% lower energy consumption
- Fast heating
- Precise temperature control Independent heating zones
- Automatic bowl lifting

Model	Dimensions (mm)	Power (kW)	Net price
000.PE-02i	700x800x900	10 kW	€ 11 435

Temperature range: 80-250°C
Bowl dimensions: 580x485x200 mm
Rated voltage: 400V

TILTING BRATT PANS



000.PE-07x

Electric bratt pan 120 l

Model	Dimensions (mm)	Power (kW)	Net price
000.PE-07x	1200x900x900	16,8 kW	€ 7 435

Capacity: 120 dm³
Working area: 0,7 m²
Temperature range: 50-300°C
Bowl dimensions: 1115x630x200
Two heating zones
Water battery
Automatic bowl lifting



000.PTG-025

Gas bratt pan 37 l

Model	Dimensions (mm)	Power (kW)	Net price
000.PTG-025	700x600x850	6,5 kW	€ 2 285

Capacity: 37 dm³
Working surface: 0,25 m²
Temperature range: 50-250°C
Bowl dimensions: 565x425x150
Bottom thickness: 6 mm

TILTING FRYERS



000.PE-025p

Stainless steel electric fryer 37l

Model	Dimensions (mm)	Power (kW)	Net price
000.PE-025p	700x600x850	6,5 kW	€ 1 850

Capacity: 37dm³
Working surface: 0.25 m²
Temperature range: 50-250°C
Bowl dimensions: 565x425x150
Bottom thickness: 6 mm



000.PE-025s

Stainless steel electric fryer 37l

Model	Dimensions (mm)	Power (kW)	Net price
000.PE-025s	700x600x850	6,5 kW	€ 1 795

Capacity: 37dm³
Working surface: 0.25 m²
Temperature range: 50-250°C
Bowl dimensions: 565x425x150
Bottom thickness: 6 mm



000.PE-025N

Stainless steel electric fryer 37l

Model	Dimensions (mm)	Power (kW)	Net price
000.PE-025N	700x600x650	6,5 kW	€ 1 795

Capacity: 37dm³
Working area: 0.25 m²
Temperature range: 50-250°C
Bowl dimensions: 565x425x150
Bottom thickness: 6 mm

TILTING BRATT PANS



000.PE-040x

Stainless steel electric bratt pan with mechanical tilting bowl 64l

Model	Dimensions (mm)	Power (kW)	Net price
000.PE-040x	720x800x850	9 kW	€ 3 205

Capacity: 64dm³
 Working surface: 0.40 m²
 Temperature range: 50-250°C
 Bowl dimensions: 670x630x158
 Bottom thickness: 8 mm



000.PE-040p


Stainless steel electric bratt pan with manual tilting bowl 64l

Model	Dimensions (mm)	Power (kW)	Net price
000.PE-040p	720x800x850	9 kW	€ 3 205

Capacity: 64dm³
 Working surface: 0.40 m²
 Temperature range: 50-250°C
 Bowl dimensions: 670x630x158
 Bottom thickness: 8 mm

UNBEATABLE TEMPERATURE DISTRIBUTION

FRYING PAN PRODUCED BY KROMET



The newly designed 8 mm thick stainless steel bottom of the pan allows for perfect temperature distribution across the entire working surface of the bowl. Thanks to this solution, KROMET tilting bratt pans are unrivalled in their class.

Temperature distribution applies to models: 000.PE-025p, 000.PE-025s, 000.PE-025n

STOOLS



000.TE-1i

Induction stool

Model	Dimensions (mm)	Heating zones	Power (kW)	Net price
000.TE-1i	510x565x410	1	8 kW	€ 4 615



000.TE-2i

Induction stool



Model	Dimensions (mm)	Heating zones	Power (kW)	Net price
000.TE-2i	555x600x425	1	5 kW	€ 1 540
000.TE-3i	605x650x425	1	8 kW	€ 1 795



000.TE-1F

Electric stool 5kW


Model	Dimensions (mm)	Heating zones	Power (kW)	Net price
000.TE-1F	590x650x410	1	5 kW	€ 950



000.TG-1F

9kW gas stool

Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.TG-1F	590x650x410	1	9 kW	€ 795



000.TG-2

2-burner gas stool

Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.TG-2	1185x580x430	2	18 kW	€ 975



Gas stool

Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.TG-1	580x580x430	1	9 kW	€ 615



Gas stool

Model	Dimensions (mm)	Burners	Power (kW)	Net price
000.TG-1s	400x400x380	1	6,5 kW	€ 375

Option to adapt the device to propane-butane gas - PLN 50 net

HEATING BAN-MARIES



Mobile bain-maries



Model	Dimensions (mm)	Power (kW)	Net price
000.BJ-2	850x700x900	1,4 kW	€ 1 385
000.BJ-3	1300x700x900	2,1 kW	€ 1 825
000.BJ-4	1650x700x900	2,8 kW	€ 1 975

Temperature range: 30-90°C
Power supply: 230 V



Stationary bain-maries



Model	Dimensions (mm)	Power (kW)	Net price
000.BS-2	850x700x900	1,4 kW	€ 1 359
000.BS-3	1300x700x900	2,1 kW	€ 1 795
000.BS-4	1650x700x900	2,8 kW	€ 1 949

Temperature range: 30-90°C
Power supply: 230 V

COOLING BASES



KR-94702

Cooling base for the 700 line, width 1200

Model	Dimensions (mm)	Drawer capacity	Power (kW)	Net price
KR-94702	1200x666x620	4 x GN 1/1 H=100mm	0,32 kW	€ 3 200



KR-94703

Cooling base for the 700 line, width 1600

Model	Dimensions (mm)	Drawer capacity	Power (kW)	Net price
KR-94703	1600x666x620	6 x GN 1/1 H=100mm	0,32 kW	€ 3 800

Compact
Fast Food line

FAST FOOD LINE

STAINLESS STEEL ROLLER TOASTERS



000.ROE-6N

Electric roller toaster

Model	Dimensions (mm)	Power (kW)	Net price
000.ROE-6N/45.1S.N	540x300x173	0,9 kW	€727

Temperature range: 50-300°C
Power supply: 230 V
Rollers: stainless steel
Number of heating zones: 1



000.ROE-8N

Electric roller toaster

Model	Dimensions (mm)	Power (kW)	Net price
000.ROE-8N/45.1S.N	540x381x173	1,2 kW	€808

Temperature range: 50-300°C
Power supply: 230 V
Rollers: Teflon
Number of heating zones: 1



000.ROE-10N

Electric roller toaster

Model	Dimensions (mm)	Power (kW)	Net price
000.ROE-10N/45.2S.N	540x468x173	1,5 kW	€1,128

Temperature range: 50-300°C
Power supply: 230 V
Rollers: stainless steel
Number of heating zones: 2



000.ROE-14N

Electric roller toaster

Model	Dimensions (mm)	Power (kW)	Net price
000.ROE-14N/45.2S.N	540x636x173	2,1 kW	€1,282
000.ROE-14N/65.2S.N	730x636x173	2,8 kW	€1,564

Temperature range: 50-300°C
 Power supply: 230 V
 Rollers: stainless steel
 Number of heating zones: 2



000.ROE-6

Electric roller toaster

Model	Dimensions (mm)	Power (kW)	Net price
000.ROE-6/45.1S.N	540x300x173	0,9 kW	€754

Temperature range: 50-300°C
 Power supply: 230 V
 Rollers: Teflon
 Number of heating zones: 1



000.ROE-8

Electric roller toaster

Model	Dimensions (mm)	Power (kW)	Net price
000.ROE-8/45.1S.N	540x381x173	1,2 kW	€888

Temperature range: 50-300°C
 Power supply: 230 V
 Rollers: Teflon
 Number of heating zones: 1

FAST FOOD LINE

TELEPHONE ROLLER TOASTERS



000.ROE-10

Electric roller toaster

Model	Dimensions (mm)	Power (kW)	Net price
000.ROE-10/45.2S.N	540x468x173	1,5 kW	€1,179

Temperature range: 50-300°C
Power supply: 230 V
Rollers: Teflon
Number of heating zones: 2



000.ROE-14

Electric roller toaster

Model	Dimensions (mm)	Power (kW)	Net price
000.ROE-14/45.2S.N	540x636x173	2,1 kW	€1,397
000.ROE-14/65.2S.N	730x636x173	2,8 kW	€1,603

Temperature range: 50-300°C
Power supply: 230 V
Rollers: Teflon
Number of heating zones: 2

CERAMIC ROLLER TOASTER



000.ROEG-2

Electric roller toaster with heating plate

Model	Dimensions (mm)	Strefy grzewcze	Power (kW)	Net price
000.ROEG - 1	540x636x178	2	1,7 kW	€1,154
000.ROEG - 2	540x636x178	3	1,7 kW	€1,179

Temperature range: 50-300°C
Power supply: 230 V
Rollers: ceramic coating

SALAMANDER



000.SW-1

Salamander with lift

Model	Dimensions (mm)	Grate	Power (kW)	Net price
000.SW-1	500x553x465	1	3,5 kW	€ 1 385

Temperature range 50°C - 300°C
Grate dimensions: 350 x 500 mm
Rated voltage: 230V
Number of heating zones: 2

HEATING PLATE



000.PBE-460x480.N

Direct frying plate

Model	Dimensions (mm)	Worktop	Power (kW)	Net price
000.PBE-460x480.N	460x525x140	1	3,5 kW	€ 745

CONTACT GRILL



000.GS-1

Contact grill 1.6kW

Model	Dimensions (mm)	Heating plate	Power (kW)	Net price
000.GS-1	273x328x192	256x256 mm	1,6 kW	€ 508

Temperature range: 50-250°C
Power supply: 230 V
heating plate: Teflon coating



SALES DEPARTMENT

Area - whole Poland:



Wiktor Tusiński
Domestic Sales Director
+ 48 512 469 575
w.tusinski@kromet.com.pl

Sales Department:



Anetta Łopatkiewicz:
+48 513 347 565



Magdalena Grabowska
+48 660 487 270

handlowy@kromet.com.pl | +48 68 383 52 73

Marketing department

Magdalena Grabowska

+48 660 487 270
marketing@kromet.com.pl

Parts department:

Danuta Szaciłto

+48 660 759 509
czesci@kromet.com.pl / +48 68 383 52 46

Service department:

serwis@kromet.com.pl
+48 68 383 52 73 w. 367 | +48 660 455 460

Export seller

+48 798 351 223
export@kromet.com.pl

www.kromet.com.pl

PHOTOS IN THE CATALOGUE ARE FOR PREVIEW PURPOSES ONLY.
The final product may differ slightly from the model shown.

Znajdziesz nas na:

 [instagram.com/kromet_](https://www.instagram.com/kromet_)

 [facebook.com/KrometSpzoo](https://www.facebook.com/KrometSpzoo)

 [youtube.com/@krometSpzoo](https://www.youtube.com/@krometSpzoo)



European Funds
for Smart Economy



Republic
of Poland

Co-funded by the
European Union



Poland.
Business Forward

Kromet Sp. z o.o.

ul. Pocztowa 30
66-600 Krosno Odrzańskie

tel. +48 383 53 24
www.kromet.com.pl

Kromet[®]

**FOR
BETTER
COOKING**

